

### **Unit 1 revision**

### 1) Choose the correct ansewr:-

- 1-On heating copper hydroxide we obtain:
  - (Copper carbonate and water copper oxide and water copper and hydrogen
  - copper oxide and hydrogen)
- 2- In thermal decomposition reactions, the compound is decomposed into:

(Its simple components – its primary elements – other compounds – all the previous)

- 3- When dilute hydrochloric acid is added to calcium carbonate...... gas is evolved.
  - a. CO2
- b) H2
- c) O2
- d) CO
- 4- A process that involves the splitting of compounds into simpler compounds by the effect of heat is called......
  - a. simple substitution

b) thermal decomposition

c) electrolysis

- d) direct combination
- 5- The blue colour of copper sulphate disappears and ...... is formed by heating.
  - a. black ppt
- b) red colour
- c) yellow ppt
- d) black colour
- 6- The following elements can replace hydrogen in dilute acids except.....element.
  - a. Magnesium
- b) zinc
- c) copper
- d) sodium
- 7- The oxidizing agent is the compound which......during the chemical reaction.
  - a.loses hydrogen
- b) gains oxygen
- c) loses oxygen
- 8- The percentage of hydrogen increases during .....reactions.
  - a) neutralization
- b) oxidation
- c) reduction
- d) substitution
- 9- In the reaction between sodium and chlorine to form sodium chloride, the oxidizing agent is......
  - a) sodium
- b) chlorine
- c) sodium chlorine
- d) both sodium and chlorine

### 2) Writ the scientific term:

- 1-The breaking up of the molecules of the reactants and the forming of new coherences.
- 2- A chemical process where the atom gains one or more electron.
- 3-It is the substance which loses an electron or more during a chemical reaction.
- 4- A reaction where an element substitutes another one.
- 5-A process of splitting compounds into simpler compounds by the effect of heat.
- 6- The arrangement of metallic elements according to decreasing chemical activity.
- 7- A process in which an element displaces another element in one of its salt solution.
- 8- It is the double exchange between the radicals of two compounds to give two other new compounds.
- 9-A reaction between acid and alkali to give salt and water.
- 10- A chemical substance which helps to increase the speed of the reaction
- 11-The chemical process which leads to the increase of oxygen or decrease of hydrogen
- 12- Two processes take place at the same time during the chemical reaction
- 13-A substance which gains one or more electrons during a chemical reaction.
- 14- The chemical process in which the atom of the substance gains one electron or moreduring the chemical reaction.



### 3) Write the balanced chemical equations for the following:

1- The reaction between hydrochloric acid and sodium hydroxide.

.....

2- Adding silver nitrate solution to sodium chloride solution.


3- The effect of heat on red mercury oxide.

4- The reaction of zinc with diluted hydrochloric acid.

.....

5-The effect of heat on sodium nitrates.

6- The reaction of water with sodium.





9. Insertion of a magnesium ribbon in a colution of conner sulphoto

8- Insertion of a magnesium ribbon in a solution of copper sulphate.

- 9- The reaction of Aluminium with diluted hydrochloric acid.
- 10- Reduction of hot copper oxide by hydrogen.

### 4) Compare between:

1- Heating of metal oxide and metal hydroxide.

.....

2- Oxidation and reduction.

3- Simple substitution and double substitution reactions.

# 5) Identify the process of oxidization, reduction, oxidizing factor and reducing factor in each of the following reactions:

$$1-2Li + Pb^{+2} \longrightarrow Li^{+1} + Pb$$

$$2-2Cr^{+3} + 3Zn \longrightarrow 2Cr + 3Zn^{+2}$$

$$3- CH4 + 2 O_2 \longrightarrow CO_2 + 2 H_2O$$

$$4- H_2 + CuO$$
  $\longrightarrow$   $Cu + H_2O$ 



### 6) Complete the following statements:

- 1- Oxidization is a chemical process where the atom ...... an electron or more.
- 2.....factor is the substance which gains one electron or more during a reaction.
  - 3- During .....reactions, the compound breaks up by heat into its simple components.
- 4is the reaction between an acid and an alkali to form salt and water.
- 5is the substance which gives oxygen and takes away hydrogen.
- 6- At the beginning of the reaction, the concentration of reactants is......%
- 7- The change in the concentration of reactants and resultants in a time unit is .......
- 8- The increase in concentration of reactants makes the chemical reaction......
- 9- The reaction of contributing compounds is ......
- 10- Sodium chloride powder reacts..... than a cube of sodium chloride
- 11- A substance which increases the chemical reaction without changing in the reaction.....
- 13- Cu (OH)<sub>2</sub> + ...... + ......
- 14- 2NaNO<sub>3</sub> ----- + ......
- 15- 2HgO + ..... + ....
- 16- The size of the solute molecules in the real solution is.....than that in the colloidal solution.
- 17- In the..... solution, the solute molecules can be distinguished by the naked eye.
- 18- It is possible to dissolve more solute in the......solution.
- 19- In the stomach, there is.....that help in the digestion of proteins
- 21- The break up of existed bonds in the molecules of reactants and the forming of new bonds is called......
- 22- The speed of chemical reactions ...... due to the increase of temperature.
- 24- Oxidation and reduction are two ...... processes.
- 25- The components of the ...... solution can be separated by refining or filtration.
- 26- Most metal sulphates undergo thermal decomposition to give ......and.....and.....
- 27- The chemical activity series is the arrangement of metallic elements in a...... order according to their ................
- 28- Chemical reaction is the process in which bonds in reactants are ......and bonds in ...... are formed.
- 29- Oxidation and reduction are two...... processes.
- 30- The substance that gives oxygen and removes hydrogen is called......
- 31- In the following reaction: (  $2Mg + CO2 \Delta$  2MgO + C ) the oxidizing agent is ......



## 7) Put a ( $\checkmark$ ) or (X) in front of the following statements and correct the wrongwords:

- 1-The increase in the concentration of the reactants increases the number of collisions between molecules so that the speed of reaction decreases. ( )
- 2- Most metal carbonates decompose by heating into metal oxide and carbon dioxide. ( )
- 3- The reactions of ionic compounds are slower than coordinate compounds. ( )
- 6- Metallic elements are arranged in an ascending order according to their chemical activity in the C.A.S. ( )
- 7- No reaction takes place between copper and zinc sulphate. ( )
- 8- Anhydrous copper sulphate decomposes by heat to give copper oxide and sulphur dioxide. ( )
- 9- Reduction means gaining of hydrogen . ( )

### 8) Give reasons:

1- The fridge is used to preserve food.

.....

2- Using molecule nickel in hydrating oil instead of pieces of nickel.

3- Magnesium can replace copper in its salt solutions, while opposite cannot happen.

.....

4- Copper does not react with diluted hydrochloric acid.

5- When a magnesium strip burns in air a white powder is formed.

### 9) Mention the name of the gas in each of the following:

- 1) Turns lime water milky......
- 2) Is obtained by the reaction between dilute hydrochloric acid and magnesium metal.....
- 3) Increase the glowing of lighted splint.....

Is produced from the thermal decomposition of sodium nitrate.....

للحصول على الإجابة تابع فيديو هات المراجعة على قناة مستر ساينس على اليوتيوب بدايو من 16-4 -2023



The opposite graph represents the rate of rapid decomposition of the substance of sodium azid (which is present inside the air bag):


2NaN<sub>3</sub> Electric spark 2Na + ......

- 1. Complete the equation.
- 2. From the graph, write the name of the compound or the element which is indicated by each number.


Concentration (mole/liter)

O Time (min.)

Compare between the colour in test tube A and B	
	•
	•
	••




- . Study the opposite figure, then answer :
  - a. In which tube the gas evolved.
  - b. Mention the type of the reaction in tube 2.




### From the opposite figures, Answer:

- 1. Which reaction is faster (a) or (b).
- 2. What happens if iron is replaced by copper ?



The two opposite figures illustrate two beakers which contain equal amount of hydrogen peroxide, one beaker contains a piece of sweet potato:

What is the gas produced from Hydrogen peroxide dissociation?



### **Unit 2 revision**

### 1) Choose the correct answer:-

1-Direct current can be produced form:
(Electrochemical cells – electric generators – electric power stations)
2-is the measuring unit of the electric charges (coulomb – ampere – volt)
3- Theis used to measure the electromotive force of a battery.
(Voltmeter-Ammeter-Rheostat)
5- The sliding Rheostat is used to change andin the electric circuit.
(The current intensity and potential difference – the resistance and potential difference – current intensity and resistance).
6- The Ammeter is used to measure in the electric circuit.
(The potential difference – the current intensity – the resistance)  7. The unit of measuring the electric resistance is — (Ampere Volt Ohm)
7- The unit of measuring the electric resistance is
8- The unit of measuring the current intensity is(Ampere – Volt – Ohm)  On The direct current is used in a clastic point, control of partial points and partial points.
9- The direct current is used in (Lighting – electric paint – operating refrigerators)
11-One of the properties of the alternating current is
2) Writ the scientific term :
1- The flow of electric charges in a conductor. ( )
2- The electric current of fixed intensity and direction ( )
3- The obstruction the electric current during its flow in the conductor. ( )
4- The flow of electric negative charges in a conducting element (metal wire). (
5- The amount of electric charges that flow through a conductor in a certain time. (
6- The flow of electric charges in a conductor.
7- The resistance of a conductor that allows the passing of an electric current of 1 Ampere
through it when the potential difference between its two ends is 1 Volt.
8- The intensity of the electric current flowing in an electric circuit when an electric charge
of 1 Coulomb passes within the conductor's cross section in 1 second.
9- The device used to measure the intensity of the electric current passing in a conductor.
10- The electric state of a conductor that shows the transference of electricity from and to it.
11- The measurement unit of the electromotive force of the electric cell.
12-The measuring unit of the absorbed radiation.
13- The natural conversion of the atoms of some elements in nature as an attempt to reach a
more stable composition.
14-The flow of electric negative charges in a conducting material (metal wire).

15- A device used to measure the electric current intensity.

16- The work done to transfer unit of electric charge between two ends of a conductor.

- 17- The opposition to the flow of electric current in the conductor.
- 18- The potential difference across the two poles of the battery when the circuit is opened -19
- 19- The electric current of constant intensity and direction.
- 20- A type of connection of electric cells used to obtain high e.m.f.
- 21-The process of conversion of atoms of some elements to reach more stability.

#### 3) Problems:


- 1- Calculate the potential difference of the two ends of a vacuum cleaner whose resistance is 22 Ohm and the current intensity passing through it is 10 Ampere.
- 2-You have three similar cells, the electromotive force of each is 1.5 volt, explain by using a diagram how you can connect them to obtain an e.m.f of:
  - 1) 1.5 volts
- 2) 3 volts
- 3) 4.5 volts
- 3- You have 4 similar electric cells. The potential difference of each one is 1.5 Volt. Illustrate by drawing how you connect them to get batteries of emf of:
  - A- 6 Volt. B- 4.5 Volt. C- 3 Volt in two ways. D- 1.5 Volt.
- 4- You have four electric cells each of e.m.f 1.2 volt. Show by drawing the method of connecting them to obtain each of the following:
  - A) 1.2 volt

- B) 4.8 volt
- c) 2.4 volt
- 5- If the potential difference between the terminals of a conductor is 6 volts, and the electric current of intensity 0.5 ampere is passed through it. Calculate the intensity of the electric current passing through this conductor if it is connected with a voltage source of 12 volts.
- 6- Calculate the quantity of electricity that pass through a conductor of resistance 1000 ohms for 30 minutes, given the potential difference between its two terminals is 220 volts.
- 7-Calculate the potential difference between two points if the work done to transfer a charge of 600 coulomb is 6600 joule.

4) Complete the following statements:
1 is measured by using the Voltmeter and has a measuring unit known
as
2- Theis used to measure the electromotive force of a battery in units
known as
3- While connecting charged conductors, the electric current passes from the conductor
havepotential to the conductor havepotential.
4 - The electric current generated from a dynamo is due to converting energy
toenergy.
5- Cell produce current while the dynamo produces current.
6- There are two types of electric currentand
7- The current intensity due to the flow of 2700 coulomb in 300 second through a cross-
section of a conductor equals
8- In the electric circuits, the ammeter is connected in, while the voltmeter is
9- Volt = $\frac{\text{joule}}{ \times \text{second}}$
10- There are two types of electric current which are and
11- Theelectric current can be transported only to short distance.
12- There are two methods of connecting electric cells which are and
13 and cesium are natural radioactive elements.
14- Nuclear energy is used in medicine in and of some diseases.
5) Give reasons:
1- It is better to use the alternating current rather than the direct current.
This better to use the alternating earlent rather than the direct earlent.
2- The voltmeter is connected to both poles of the battery in the electric circuit
3-The areas chosen for storing radioactive wastes should be stable.
_
4- Radiation has genetic effects.
5- After the Chernobyl accident, radioactive isotopes were found in the food products.
6- Magnesium can replace copper in its salt solutions, while opposite cannot happen.
7. Come alaments are called radio active alaments
7- Some elements are called radioactive elements.
2. The weltmeter is connected corose the two neles of a bettery
8- The voltmeter is connected across the two poles of a battery.
9- Rheostat is used in some electric circuits.
9- Kneostat is used in some electric circuits.
10- Voltmeter is connected between the two ends of a conductor.
10- Volumeter is connected between the two chas of a conductor.
11- It is better to use alternating current rather than direct current.
11 It is better to use afternating current rather than direct current.


8

1. In the opposite closed electric circuit, when the slider of rheostat move from (a) to (b) the reading of voltmeter ..........




### From the opposite circuit, complete the following:

- 1. The type of resistance A B is .......
- 2. The value of the resistance A B = ..... ohms.



## In the following electric circuit in the figure:

If the potential difference between resistance ends equals the total (e.m.f.) of all cells, if the (e.m.f.) of each cell equals 1.5 volt and the resistance 3 ohms. Find the electric current intensity passes in Ammeter.



### **Units 3&4 revision**


1) Choose the correct answer:
1- Thehormone releases the needed energy from the food stuffs:
a) Growth b) estrogen c) thyroxin
2- Thehormone releases the needed energy from the food stuffs
a) growth b) estrogen c) thyroxin
3- The hormone responsible for producing secondary sexual male characteristics is the
hormone.
a) Progesterone b) testosterone c) adrenalin
4- The hormone which stimulates the storage of glucose sugar in liver is the:
a) Insulin b) estrogen c) thyroxin d) parathormone
5- The two factors of the hereditary trait are similar in theindividual:
a) Pure b) hybrid c) recessive d) Pure and recessive
6-Mendel conducted his experiments in pea plant by using pairs of traits.
a) 5 b) 7 c) 9 d) 11
7-The two factors of a hereditary trait are similar in the individual.
a) pure b) hybrid c) recessive d) a and c
8-Which one of these traits is recessive in humans
a) curly hair b) wide eyes c) free ear lobe d) straight hair
9 put the model of DNA molecule.
a) Ohm b) Mendel c) Watson d) Johansson
10 is the part of DNA in the cell nucleus.
a) Gene b) Gamete c) Cytoplasm d) no correct answer
11- DNA molecule consists ofstrands.
a) two b) three c) four d) five
12- The hormone which regulates the level of calcium in the blood is thehormone.
a) calcitonin b) thyroxin c) progesterone d) adrenalin
13-Thehormone liberates the needed energy from the food stuff.
a) growth b) estrogen c) thyroxin d) testosterone
14- Glucagon hormone is secreted by
a) pituitary gland b) thyroid gland c) adrenal gland d) pancreas
2) Explain the following:
1- Mendel's selecting the pea plant to conduct his experiments.
2- When a pure yellow pod pea plant is pollinated with a pure green pod pea plant, it
produces plants that are all with green pods.
3- The ability of bending the tongue is a dominant trait in the human being
4- The model of Watson and Creek of the DNA structure
5- How the genes perform their functions.

#### 3) Complete the following statements:

- 2-The.....hormone is secreted when the rate of glucose sugar increases in the blood.
- 3- When the amount of glucose decreases in blood, pancreas secretes...... hormone
- 4- Hormones are directly secreted into the blood stream by.....
- 5- Thyroxin is a .....that regulates food assimilation in your body
- 6- When the secretion of the growth hormone decreases at the childhood, Man is infected by......
  - 7..... traits are not transmitted from one generation to another.
- 8- The scientist ...... is the founder of heredity, he used the seeds of ...... plant, because its flowers are...... and thus it can self-pollinated.
- 9- The trait that appears in all individuals of the first generation in Mendel's experiments is...... trait.
- 10- Chromosome is chemically composed of a nucleic acid called.....which is combined with ......
- 11- The two scientists ...... and ...... were able to make a model for DNA molecule.
- 12- In DNA molecule, the nitrogenous base, Guanine pairs with.....base.
- 13- The gene mutation occurs as a result of the change in the sequence of ...... of the gene.

### 4) <u>problems</u>

In the fig. replace the number with a suitable letter to give the produced generation?




A gland existed in the digestive system of human that has a role in digestion process also it is secretes two hormones with opposite effect due to their functions.

Based on the previous determine each of the following:

- 1. The name of this gland is .........
- 2. The name of the first hormone is ........
- 3. The name of the second hormone is ........


# Study the figure in front of you, then complete the following spaces:

The point number (3) represents ........ which its chemically structure from number (2) which is ........ and connected with protein, and it carries ....... to the individual, while number (1) that represents ....... which transmits the hereditary traits from parents to offspring.




## According to your studding answer the following:

1. The opposite figure represents the inheritance of one of humans traits, what is the number of the child that carries the recessive trait?



### Look at the opposite figure and answer:

- 1. What is the name of (A) gland?
- 2. Mention the function of the hormone which the (A) gland secretes.



2. Use symbols to express the mating between man with black hair (Bb) with a woman has light colour hair (bb), showing the parents, gametes and first generation.



## Unit one

### Lesson one: Chemical reactions

### Question one: complete the following statements:

1) gas turbid the lime water, while gas helps in burning. 2) By heating copper hydroxide, its color changes from into
3) Sodium nitrate decomposes by heat into
while the changing of (O ) into (O) is considered process.
6) When the hydrogen gas passes on a hot copper oxide, copper oxide changes
to be is formed.
7) The reaction of salt solutions together is considered as reactions,
which accompanied with the formation of
8) In the following reaction " $H_2 + CuO \longrightarrow H_2O + Cu$ , hydrogen gas is
considered as agent while copper oxide is considered as agent.
agent.
9) The metals is arranged descendingly according to in the
9) The metals is arranged descendingly according to in the
9) The metals is arranged descendingly according to in the chemical activity series.
9) The metals is arranged descendingly according to in the chemical activity series.  10) $2Na + 2H_2O \rightarrow \dots + H_2 + \dots$ 11) $2Al + 6HCl \rightarrow \dots + \dots$
9) The metals is arranged descendingly according to in the chemical activity series.  10) $2Na + 2H_2O \rightarrow \dots + H_2 + \dots$
9) The metals is arranged descendingly according to
9) The metals is arranged descendingly according to



3) Double substitution reactions.	
4) Oxidation (two definitions)	
5) Reduction (two definitions)	
6) Oxidizing agent (two definitions)	
7) Reducing agent (two definitions).	
8) Neutralization.	
Question three: Choose the correct	answer:
1) metal doesn't replace the	hydrogen of the diluted acids.
	(Magnesium - silver - zinc - iron)
2) Which of the following substances	doesn't produce black product?
	$(\ HgO-Cu(OH)_2-CuSO_4-CuCO_3\ )$
3) Active metals replace the hydrogen	of the water and produce.
(Metal oxide – metal l	nydroxide – metal carbonate – metal sulphate)
4) In the oxidation reduction reactions the gained electrons.	s, the number of the loosed electrons are ( More than – less than – equal to )
5) When potassium reacts with diluted and salt is formed.	d hydrochloric acid, hydrogen gas evolves
( potassium nitrate – potassium sulphate – p	potassium chloride – potassium hydroxide)
6) Oxidation and reduction are	processes.
	( concurrent – separated – no correct answer )



Question four: Give reason "using chemical equations if it is possible":
1- Zinc reacts with the diluted hydrochloric acid while copper doesn't with the same acid.
2- A white precipitate is formed when silver nitrate solution is added to sodium chloride solution.
3- A black substance is formed by the heating of green copper carbonate.
4- An effervescence occurs when sodium carbonate is added to hydrochloric acid
5- A red ppt. is formed by adding magnesium to the copper sulphate solution.
6- Oxidation doesn't mean the combination with oxygen only.
7- Metals are considered as reducing agents.
O.N
8-Non- metals are considered as oxidizing agents.
9- Double substitution reactions don't contain oxidation and reduction.
10- Mass of sodium nitrate decreases by heating.
67

## 3rd prep.

### Question five: Show by the chemical balanced equations the following:

- 1- The effect of heat on the red mercuric oxide.2- Adding of hydrochloric acid to the sodium carbonate.
- 2- Adding of flydrochloric acid to the sodium carbonate.
- 3- Reduction of the hot copper oxide by passing of the hydrogen on it.
- 4- Adding of silver nitrate solution to the sodium chloride solution.
- 5- Passing of hydrogen gas on the hot black copper oxide.
- 6- The reaction of salt and acid.

### Question six: Put $(\checkmark)$ or (\*) with correction:


- 1- The substance that produces from the chemical reaction is the same substance that enter in it (
- 2- Red mercuric oxide decomposes by heat into silver color precipitate in the tube (
- 3-Non metals are arranged descendingly according to their chemical activity series. ( )
- 4-Neutralization is the reaction of acid and base to form salt only.
- 5-Hydrogen gas evolves when sodium reacts with water. ( )
- 7-Decreasing the percentage of hydrogen in the matter is the result of oxidation process. ( )
- 8-The reaction between chlorine and sodium includes oxidation and reduction processes. ( )
- 9- Oxidation and reduction are concurrent processes. ( )

**Question seven:** The opposite equation represents an oxidation and reduction reactions...complete writing the reason:

- Process (x) represents ..... reaction.

6-Copper is more active than magnesium.

- Process (y) represents ..... reaction.
- What are the oxidizing and reducing agents?



.....

3rd prep.

### Question eight: Mention the oxidizing and reducing agents in the following reactions:

$$2Mg + CO_2 \longrightarrow 2MgO + C$$
  
 $2Al + 3FeSO_4 \longrightarrow Al_2 (SO_4)_3 + 3Fe \downarrow$ 

.....

### Question nine: Complete the following chemical reactions:

4-2NaNO<sub>3</sub> 
$$\stackrel{\triangle}{\longrightarrow}$$
 2 -----+ O<sub>2</sub>



How can you o	get sodium nitrite	e from copper hydroxic	de??



How can you get copper from "copper sulphate" with two different ways?

### **Complete the following**

CuSO<sub>4</sub> 
$$\xrightarrow{\triangle}$$
 A + B Red ppt.  $\rightarrow$  D  $\rightarrow$  C


Write what are these letters (A, B , C , D ) indicate ?

What is the type of the reaction number (1)?

3WARA

### Lesson two: Speed of chemical reactions

Question one: Complete the following diagram:  Speed of chemical reaction mean:	FOOM!
and it affects by:	_
	Where the collisions between molecules increases
) Chemical reactions are different in their speeds.	
2) Reaction of sodium chloride with silver nitrate is fast.	



### Question five: Write the relation between each of the following as in the example:

The relation between	The relation
The exposed area to the	
reaction and the speed of	Direct
the chemical reaction	
The concentration of the	
reactants and the speed of	
the chemical reaction	
Temperature and the speed of the chemical reactions	
The reaction of the ionic compounds and the speed of the chemical reaction	



### Unit two

# Lesson one: Physical properties of the electric current



### Question one: Complete the following statements:

1) Electric current can be used in the , , and
2) When the force of the nucleus becomes weak or stopped so becomes free and flow in the electric conductor.
3) The electric current is
4) The physical properties of the electric current are,
and
5) Current intensity is
6) The electric current can be detected in the circuit by using
7) Current intensity = ÷
8) Ammeter is connected in in the circuit.
9) The current intensity that flows in the circuit when the amount of charges is
1 coulomb and the time needed is 1 second is called
10) The electric potential is
11) The potential difference is
12) The transfer of electric charges from electric conductor to another depends
on the
13) The electric potential difference is measured by the
apparatus and unit.
14) The work done to transfer electric charges is measured by unit.
15) Coulomb is
16) Voltmeter is used to measure and and
17) Voltmeter is connected in in the circuit.
18) The potential difference between the two poles of the battery when the
circuit is opened is called
19) Volt is

20) Ammeter is symbolized with in the circuit , while voltmeter is symbolized with
21) The opposition that the current faces during its motion in the wires is called
22) The measuring unit of the electric resistance is
24) The two types of the electric resistance are and and
25) The constant resistance is symbolized by in the circuit.
26) The rheostat is consists of
and
27) The idea of operation of the electric rheostat depends on
28) The relation between the current intensity and potential difference is, while the relation between current intensity and resistance is
29) The value of the current intensity can be changed (controlled) by using apparatus.
30) The function of the electric resistance is
31) Ohm's law states that
and its mathematical relation is
32) The ratio between the potential difference and the current intensity is called
33) The electric resistance value is changed in the circuit when the
is changed.
Question two: Give reasons for:
1) The value of the current intensity increases if the time needed to transfer the charges decreases.
2) Some electrons become free when a conductor is connected with another.
3) Ammeter is connected in series in the electric circuit.
4) The value of the current intensity increases as the resistance decreases.

= 300 ppp

5) There are different types of the electric resistance.
6) The importance of Ohm's circuit.
Question three: show by drawing each of the following:
1) Ammeter in the electric circuit.
2) Voltmeter in the electric circuit.
3) An electric circuit which gets the relation between the current intensity and the potential difference (Ohm's circuit).

# 3rd prep.

### Question four: Write the mathematical relations for:

1- Measuring the potential difference.
2- Measuring the current intensity.
3- Measuring the amount of electricity (two relations):
•••••••
••••••
4- Electric resistance.
Question five: variant problems:
1- Look to the opposite figure then answer:
- Dose the circuit verify Ohm's law practically? Why?
- Calculate the value of the resistance .what is its type ?
2- Calculate the amount of electricity that flow in a conductor if its resistance is 2200 Ohm for 2 minutes when it is connected to potential source = 220 V.
3- Calculate the amount of the work done to transfer an amount of electricity of 400 coulomb between two terminals of potential difference of 4.5 V.
4- Calculate the amount of electric current that resulted due to the flow of electricity of 5400 coulomb in 5 minutes.
5- Calculate the amount of work done to transfer an amount of electricity of 20 coulomb between two terminals of potential difference of 10 V.
6- If an electric current of 20 Ampere has flown in the electric heater and the p.d was 220, determine the electric resistance of the heater.
•••••••••••••••••••••••••••••••••••••••



•	Y- An electric appliance works with a potential difference 220 volts and electric resistance 20 Ohm. Calculate the current intensity and the amount of electric charges through 5 seconds.
	a- Calculate the amount of charges that flow through a wire if the electric intensity equals 6 amperes through 3 seconds.
	- If an electric heater connected to a source of electric current its intensity =2 mpere. Calculate the amount of charges that flow through a wire in 4.2 sec.
	10- Calculate the work done by a battery its e.m.f = 12 volts to transfer an electric charge of 2.5 coulomb in an electric circuit.
	11- Calculate the work done to transfer electric charge is 50 coulomb if the p.d between two terminals of the wire = 12 volts.



	electric circuit if the current intensity = 0.25 amperes.
	14- Calculate the time of transferring of electric charges = 10 coulombs in an electric circuit if the current intensity = 5 amperes.
	15- Calculate the current intensity that flow through a wire if the electric charge equals 20 coulombs in a time 4 seconds.
	16- Calculate the current intensity that flow through a wire if the electric charge equals 180 coulombs through 2 minutes.
	17- If the p.d between the two poles of a phone = 24 volts, what is the electric resistance of the phone wires if the current intensity is 0.03 ampere.
•	
	3- Calculate the p.d between two terminals of the wire when the work done transfer electric charge is 8 coulomb = 32 joules.



### Question six: write the scientific term for each of the following:

1- The flow of electric charges in an electric wire.	()
2- The amount of electricity in coulomb that flow i	n an electric wire in a unit
time.	()
3- The measuring units of the electric charges.	()
4- The apparatus that uses to determine the E.M.F	
5- The electric current that is resulted from the pass	sing of electric charges of 1
coulomb in unit time.	()
6- The apparatus that is connected in series to measure	sure the current intensity.
	()
7- The state of the conductor that show the transfer	of electricity from and to it.
	()
8- The charge that is transfer with an intensity of 1	Ampere in one second.
$(\dots$	)
9- The potential difference between two terminals	of a conductor when a work
done to transfer charge of 1 coulomb is 1 joule.	()
10- The opposition that the current faces during its	motion in the electric
conductor.	()
11- The measuring unit of the electric resistance.	()
12- The resistance which is symbolized — \	).
	()
13- An electric circuit that is used to get the relatio	n between the electric
current and potential difference.	()
14- The ratio between the electric current and the p	ootential difference.
	()
15- The resistance of a conductor in which the elec	
the potential difference is 1 volt.	()



Question seven: Define each of the following:
1) Electric current.
2) Current intensity.
3) Ampere. ( two definitions).
4) Coulomb.( two definitions )
5) Electric potential.
6) Potential difference.
7) The volt. (Two definitions).
8) Joule.
9) E.M.F
10) Electric resistance.
11) Ohm.

# 3N/prep.

### Question eight: What is meant by?

1) The current intensity passes in the conductor 1.5 ampere.

2) The potential difference between two terminals of a conductor is 5 volts.

3) A resistance of a conductor = 5 Ohms.


### **Question nine:**

1- From the opposite figure, illustrate at which point you get?

- The strongest lightning of the bulb. .....

- The smallest reading of the ammeter. .....

- The largest reading of the circuit. .....





### Lesson two: Electric current and cells

### Question one: put ( $\checkmark$ ) or ( $\times$ ) and correct the wrong one:

1) Chemical energy can be changed into electric energy through the elegenerators.	ectr	ric
2) The electric current that resulted from the electrochemical cells is knalternating current.	10W (	vn as
3) In dynamo, the mechanical energy is converted into electric energy.	(	)
4) From the advantages of the A.C is its ability to be converted into D	.C	
5) A.C is resulted from waterfalls.	(	)
6) Electrons flow in the D.C in two different directions.	(	)
7) D.C is used in the lightning of the streets and electroplating.	(	)
8) The electric cells are connected in the circuit is series only.	(	)
9) The E.M.F of a battery increases when the cells are connected in part	rall	el.
	(	)
10) The negative pole is connected with another negative in the battery	·. (	)
11) The E.M.F of a battery which their cells are connected in series is from the relation (e.m.f of one cell $\times$ N).	calc	
Question two: Compare in table between each of the following " use diagrams if it is r	ieec	<u>led" :</u>
1- Alternating and direct currents.		
•••••••••••••••••••••••••••••••••••••••	••••	• • • • • • •
	••••	• • • • • • •



2- Connecting the cells in ser	ies and in parallel.			
	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • •
	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • •
	••••••	• • • • • • • • • • • • • •	••••••	•••••
3- The resulted (E.M.F) from	the connection in	series and i	n parallel.	
•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • •
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • •
	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • •
<b>Question three: Give reaso</b>	n for each of the	<u>following:</u>	_	
1 11	11 ' ' .1	1.		
1- Alternating current is prefe	erable in using thai	n direct curi	ent.	
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • •
	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	••••
2- The reading of the voltmeter is	s changed if 4 cells ar	e connected i	in series than in pa	arallel.
			F	
				• • • • •
Question three: Show by di	rawing only:			
1) The connection of 2 calls of	and of 1.5 walta to	got on a m	f with	
1) The connection of 3 cells 6	acii oi 1.3 voits to	get an e.m.	i will:	
a. 1.5 volt	b. 3 volt		c. 4.5 volt	
a. 1.5 voit	0. 5 voit		C. 4.3 VOII	
		$\overline{}$		
		) [		
		<i>)</i> (		
		$\overline{}$		

a. 6 volt			b. 4.5 volt	
c. 3 volt (two m	ethods)		d. 1.5 volt	
connection of 5 si	milar cells of e.i	m.f for each is 3	volt to get :	
9 volt		5 volt	c. 3 vo	olt



### Lesson three: Radioactivity and nuclear energy

Question one: Choose the correct answer:
1- Mass of the nucleus is concentrated in the
( energy levels – nucleus – electrons )
2- The source which the atom gets its tremendous energy is known as
( Nuclear energy – electric energy – heat energy )
3- There is force between the components of the nucleus.
( repulsion – attraction – both are correct )
4- The French scientist is considered the discover of the radioactive
phenomenon.
( Mendel – Ohm – Bequruel )
5- The radiation that comes out from the Uranium element is and
has the ability to penetrate solids.
( visible – unseen – No correct answer)
6 come (s) out from the radioactive element.
( rays only – particles only – both are correct)
7- The natural radioactivity is done by
(Controlling the nuclear energy – No ability to control the nuclear energy –
both are correct )
8- There are several theories for in the fields of atomic bomb.
( Dr.Ali Mostafa Mosharafa — Ohm — Mendel )
9- The natural sources of the radioactive pollution is represented by
(Cosmic radiation – nuclear reactors – no correct answer)
10- Chernobyl accident produces the isotopes of radioactive element.
( Uranium – cesium – polonium )
11- Bone marrow can be destroyed as a result of exposure to amount
of radiation for periods.
(large and short – long and small – both are correct)
12- Physical effects take place as a result of the exposure to amount of radiation.
(Large – small – both are correct)
13- The exposure to the small amount of radiation resulted in a cellular effects as
(Spleen damaging – changing in the sex chromosomes – changing in the hemoglobin structure)



15- The area chosen for the storing of the radioactive wastes should be
(Unstable – away from the volcanoes – both are correct)
16- The medium radioactive wastes are disposed in the earth after
(Surrounding them with a layer of the cement only – surrounding them with rocks only – both are correct)
17 is from the radioactive elements.
(Iodine – zirconium – sodium)
stion two: complete the following:
<b>1</b> The nuclear energy arises from
1) The scientist who discovered the radioactivity is
2) Types of the radioactivity are
3) From the type of the radioactive pollutions are
4) Radioactivity is
Resulted from Resulted from
87

3

The radiation affects the human body due to the exposure to:

..... amount of radiation

..... amount of radiation
And that causes:

### And that causes

### **Question three: Give reasons for:**

1) The nucleus is considered as the energy store.
2) Radium element is considered a radioactive element.
3) There are two types of radiation.
4) Einstein described Dr. Ali Mostafa Mosharafa as the greatest atomic scientist in the world.
5) There are two sources of the radioactive pollutions.



6) The reaching of the <u>Chernobyl</u> radioactive wastes to the food.
7) The harmful effects of the radiation on the human body.
8) Radioactive wastes should be disposed away from the underground water.
•••••••••••••••••••••••••••••••••••••••

- 3rdprep.

# Unit three

## Lesson one: Principles of heredity

Question one: justify:
1) There are two types of the traits.
2) Mendel has chosen pea plant to conduct his experiments.
3) Stamen has removed from the pea flowers during the experiment.
4) Mendel has covered the pistils of the pea flowers during the experiment.
5) Individuals may be hybrid or pure.
6) The two genetic factors are separated during the formation of the first generation's gametes.
7) When a pea plant with red flowers has pollinated with another one with white flowers, all the produced generation will be with a red flowers.
8) The absence of freckles considered as a dominant traits in the human.

3rd prep.

# Question two: complete the following: 1) There are two types of the traits in the living

2) The scientist has conducted the main principles of heredity.
3) The pea plant is, so it could be self pollinated.
4) The life cycle of the pea plant is
5) Pea plant can be pollinated or
6) In the pea plant there are contrasting traits as
7) The trait appears in the first generation only, while the appears in the second with a percentage 25 %.
8) The color of the pea plant's flower dominates the flower color.
9) The genetic factors is that transmitted from one generation to another through
10) Gametes are formed in the 1 <sup>st</sup> generation by division.
11) Genetic traits are transmitted through
12) The genetic factors of one trait are segregated during the formation of
13) The symbols of the dominant trait is, while the recessive one is
14) The symbol ( yy ) represents the trait.
15) The symbol (YY) represents the trait.
16) The law of segregation states that
17) The dominant traits are inherited to the recessive one in the ratio



18) The second law of Mendel states that
· · · · · · · · · · · · · · · · · · ·
19) From the dominant traits in the human body are and
·
,while from the recessive traits are and
20) The gainnes explains the transmission of haradity traits from
20) The science explains the transmission of heredity traits from
to offspring.
21) Man dal la sala sana su su sin la turita aftil a una ulant ta an dant
21) Mendel has chosen principle traits of the pea plant to conduct
his experiment.
22) Mendel's first law is called, while the second is called
Question three: answer the following:
1- Use the following symbols to conduct the results of the mating between the
pea plant with flowers red color (RR) and another one with white flower
colors (rr).
2- Show the resulted generation of the mating of two individuals hybrid (Rr) in
which both are from the tall stemmed pea plant.
when both are from the tail stellinged pear plant.
•••••••••••••••••••••••••
3- A mating between hybrid pea plants with red flowers (Rr) and another one
with white flowers (rr) has occurred. Illustrate using heredity principles the
traits of the resulted generation.
traits of the resulted generation.
••••••
•••••••••••••••••



## Unit four

Lesson one: Hormones in the human body

Question one: Define each of the following:
1) Hormones.
2) Endocrine glands.
3) Dwarfism.
Question two: compare in a table between each of the following:
1) Simple goiter and exophthalmoses.
•••••••••••••••••••••••••••••••••••••••
2) Dwarfism and gigantism.
3) Insulin and glucagon.
4) Duct and endocrine glands.



## **Question three: Give reason for:**

1) Endocrine glands are called ductless.
2) Pituitary gland is called "the master gland".
3) Pituitary gland controls the height which the body will reach.
4) The importance of the thyroid gland.
5) Pancreas is a double function gland.
6) Hormones work as the thermostat in the electric appliances.
7) Human is infected with diabetes disease.



## **Question four: Choose the correct answer:**

1) Hormones are secreted from special organs called
(Duct glands – ductless gland – both are correct)
2) The gland that locates under the brain is called
(Thyroid – adrenal – pituitary)
3) is considered the only way for the hormone to reach its site of
work.
(Skin - blood - nerve)
4) The hormone that activates the mammary glands to secrete milk after
delivery of the baby is secreted from the gland.
(Pituitary – thyroid – reproductive)
5) Calcitonin hormone is secreted from gland.
(Thyroid – pancreas – testes)
6) is a double function gland.
(Thyroid – pancreas – tests)
7) The hormone is secreted from the ovaries.
(Estrogen – testosterone – insulin)
8) Adrenaline is a hormone that is secreted in the case of
(Increase of the sugar percentage – emergencies – growth)
9) Glucagon affects on the in which the rate of the changing of the
glucose sugar increases.
(Spleen – liver – blood)

## Worksheet (1) – unit (1)

☆☆

☆

 $\stackrel{\wedge}{\bowtie}$ 

☆

4

☆ ☆ ☆ ☆ ☆

4

☆ ☆ ☆ ☆ ☆

☆

 $\stackrel{\wedge}{\simeq}$ 

☆

#### **Complete:**

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\overset{\wedge}{\wedge} \overset{\wedge}{\wedge} \overset{\wedge}{\wedge}$ 

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\boxtimes}$ 

1-The red mercury oxide decomposes by heat intoand
gas evolves
2-Medicine, and are examples of the
outcomes of some chemical reactions
3-Thermal decomposition reactions involve theof the
compounds by the effect of
4-On heating copper hydroxide, its colour changes from
to
5-Most metal carbonates undergo thermal decomposition into
and
6-White sodium nitrate decomposes by heat intowhich
hascolour and oxygen gas evolves
7-Chemical activity series is the arrangement of metals in
order according to the degree of their
8-All elementhydrogen in chemical activity series replace
hydrogen in acid solution, while elementshydrogen don't
replace hydrogen in acids except under certain conditions
9-Aluminum replaces the acid hydrogen easier than zinc as it comes
zinc in the
10-The reaction between acid and alkali to produceand
water is known asreaction

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

11-Reduction is a chemical reaction which causes the decrease of
percentage or the increase ofpercentage
12-oxidation and reduction are twoprocess
13is a chemical process where an atom gains an electron
or more
14- Mg + CuSO <sub>4</sub> +
15+
16- CuSO <sub>4</sub> +
Give reasons:
1-The formation of black substance by heating blue copper hydroxide
2-The occurrence of effervescence on putting a piece of aluminum in
diluted hydrochloric acid
3-In the reaction of hydrogen with hot copper oxide, hydrogen is oxidized
while copper oxide is reduced
149e 3011

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\frac{\wedge}{\wedge}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

4-The formation of silvery colour on heating red mercuric oxide
5-Oxidation and reduction are concurrent processes
6-Sodium is kept under kerosene and never kept under the surface of water
Put $(\sqrt{\ })$ or $(X)$ and correct the wrong ones:
1-Chemical reaction is the breaking up of bonds in the resultants and
formation of new bonds in the reactants ( )  2 Oxidation and reduction are two separated processes ( )
2-Oxidation and reduction are two separated processes ( )  2 Double substitution reaction occurs between the stoms of two
3-Double substitution reaction occurs between the atoms of two compounds ( )
4-Both magnesium and zinc can replace copper in copper sulphate solution
4-Both magnesium and zine can replace copper in copper sulphate solution
5-Oxidizing agent is the substance which loses an electron or more during a chemical reaction ( )
6-The gas which evolves from the reaction of sodium carbonate with dilute
HCl turbids the limewater ( )

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

**☆ ☆** 

☆

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

☆☆

 $\Rightarrow$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\frac{\wedge}{\wedge}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\frac{\wedge}{\wedge}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\frac{\wedge}{\wedge}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆☆

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

7-Most metal carbonates decompose on being heated into metal oxide and
carbon dioxide ( )
8-A reddish brown precipitate of magnesium sulfate is formed on adding
magnesium to copper sulfate solution ( )
What is meant by ?
1-Chemical activity series
2-Double substitution reactions
2 Bodole substitution reactions
3-Neutralization reactions
4-Reducing agent
5-Oxidation process
6-Thermal decomposition reactions
<sup>19</sup> 4age School

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

☆

☆☆

☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆☆

 $\stackrel{\wedge}{\sim}$ 

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

☆

☆

☆☆

☆☆

☆ ☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\bowtie}$ 

☆☆

☆

☆☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

☆

☆☆

## Worksheet (2) – unit (1)

☆☆

☆☆

 $\stackrel{\wedge}{\bowtie}$ 

☆

☆

☆ ☆

☆☆

☆

☆

☆☆

☆

☆ ☆

 $\stackrel{\wedge}{\boxtimes}$ 

☆☆

☆

☆☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

☆

#### **Complete:**

 $\stackrel{\wedge}{\sim}$ 

☆☆

☆☆

 $\stackrel{\wedge}{\sim}$ 

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\boxtimes}$ 

1-Nitrogen pentaoxide breaks up intoandgas
2-The nature of the reactants is related to the kind ofin
reactants and the Of the reactants exposed to the reaction
3-At the end of the reaction, the concentration of reactants is%
while the concentration of products is%
4-The speed of the reaction between dilute hydrochloric acid and a cube of
acid because theof iron fillings is larger
5-The speed of burning of aluminum coil in pure oxygen is
Than its burning in atmospheric air.
6-the increase in concentration of reactants makes the chemical reaction
7-The catalyst decrease theneeded for the reaction
8to increase
the rate of H <sub>2</sub> O <sub>2</sub> decomposition
9-The catalyst changes theof the reaction but doesn't affect
either itsor end
10-Food is preserved in the freezer in order tothe reactions
done by
11increase the number of collisions between
molecules and consequently increase the speed of reactions
12-The measuring unit of the concentration of a substance is

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

13-Mg + 2HCl → +
14-Negative catalyst is the catalyst whichthe chemical
reaction
15-The speed of chemical reaction increases by increasing
and
Give reasons:
1-A blue precipitate is formed on adding sodium hydroxide solution to
copper sulphate solution
2-The speed of chemical reaction increases when the amount of the
reactants increase.
3-Sweet potato enhance the decomposition of hydrogen peroxide
4-Food must be heated during its preparation

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

5-Food goes rotten in summer days if it is not frozen
6-Magnesium reacts with concentrated hydrochloric acid faster than the
diluted hydrochloric acid
Put $(\sqrt{\ })$ or $(\mathbf{X})$ and correct the wrong ones:
1-The reaction of ionic compounds are slower than coordinate compounds
2-The increase in the concentration of the reactants increase the number of
collisions between molecules so that, the speed of reaction decreases ( )
3-A molecule of one enzyme can do its function million times per minute
4-Increasing the speed of chemical reactions, by heat helps in cooking
food ( )
5-The smaller the area exposed to the reaction is the slower the reaction is
() Guage School
6-At the beginning of the reaction, the concentration of the reactants is
zero 0% ( )

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\frac{\wedge}{\wedge}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\frac{\wedge}{\wedge}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

What will happen if ?
1-Leaving food in summer days outside the fridge
2-The concentration of reactants becomes zero
3-Decreasing the energy needed for the reaction
4-Adding sodium hydroxide solution to a blue copper sulphate solution
(write the equation)
Phoguage School

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

**☆ ☆** 

☆

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

☆☆

## Worksheet (3) – unit (1)

☆☆

☆

☆☆

 $\stackrel{\wedge}{\bowtie}$ 

☆

☆

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\simeq}$ 

4

 $\wedge \wedge \wedge \wedge \wedge \wedge$ 

☆☆

☆ ☆ ☆ ☆ ☆ ☆

 $\stackrel{\wedge}{\simeq}$ 

☆☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

#### **Complete:**

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\overset{\wedge}{\wedge} \overset{\wedge}{\wedge} \overset{\wedge}{\wedge}$ 

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $^{\diamond}$ 

1-Theis the substance which found with greater amounts
in the solution and in which theis being dissolved
2-Solutions can be classified in terms of size of solute molecules into
and
3-In colloidal solution, the solute particles can't be distinguished by the
but can be distinguished by the
4-Homogenous solution consists oflayer, while
solution consists of two layers or more
5-In salty solutions, the table salt is theand water is the
6-It is impossible to dissolve more solute in thesolution
7are considered from
homogenous solutions
8-Solutions can be classified in terms of homogeneity into
Andsolutions
9-Silver nitrates are used in the manufacture ofwhile
potassium nitrates are used in the manufacture ofand
10-The components of
can't be separated by refining or filtration
11-Sodium chloride is used in

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

12-Most bases havefeel like
13-Sulphoric acid is used in,, manufactures
and
14-Green leaves of vegetables containacid which is
necessary for the properof cells
Give reasons:  1-Water and oil mixture is considered a non-homogenous solution
2-Milk is considered a colloidal solution
3-Acids are necessary for digestion process in human body
4-Eating of orange in winter is very important
94900 School
5-Sodium and potassium minerals have a role in the human body

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

6-Magnesium hydroxide is used in the manufacture of anti-acids
medicines
What is meant by ?
1-The solution
2-Colloidal solution
2 Conordar solution
3-Saturated solution
4-Homogenuous solution
5-Minerals
Compare between each pair of the following:
1-Colloidal solution & suspension solution
36 00.

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

# **BARON LANGUAGE SCHOOL** ☆ 2-Saturated solution & unsaturated solution 3-Acids & bases 4-Homogenous solution & non-homogenous solution 94age School

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

☆

☆

☆

## Worksheet (1) – unit (2)

☆☆

☆

☆☆

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

4

☆ ☆ ☆ ☆ ☆

☆☆

☆ ☆ ☆ ☆
☆

 $\stackrel{\wedge}{\simeq}$ 

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

#### **Complete:**

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\wedge} \stackrel{\wedge}{\wedge}$ 

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $^{\diamond}$ 

1-The nucleus of an atom containswhich are positively
charged and
2-There are several physical properties of the electric current as the
, potential difference and
3-the potential difference across a conductor is thedone
in joules to transfer a unit charge ofcoulomb between the
two ends of this conductor
4is measured by voltameter and has a measuring unit
known as
5-The current intensity is the quantity of flowing
through a cross-section of the conductor in one
6-The electric current is generated inthat are away
from our houses by hundreds or thousands of kilometers
7-The joule is the amount ofdone by a force of one
to move an object through a distance of one meter
8-When no current passes through a circuit, then the reading of the
voltameter connected to a battery indicates
9-Theis used to measure the electric resistance
10-The ohm is theof a conductor that has an electric current
of intensitywhen theacross its terminals
is one volt.

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

3-The voltameter is connected across the two poles of a battery
4 The comment Classes the control of the classic and a control of the classic at the control of
4-The current flows through the circuit only when it is closed
5 NVI
5-When two conductors have the same potential are connected, no electric current passes
Write the scientific term:
1-The quantity of electric charges flowing through a given cross-section of
the conductor in one second ()
2-The measuring unit of quantity of electricity ()
3-The amount of electric charges that flow through a conductor in a second
()
4-The work done by a force of one Newton to more an object through a
distance of one meter ()
5-The obstruction of the electric current during its flow in the conductor
()
6-A device used to measure the electric current intensity ()

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\frac{\wedge}{\wedge}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\frac{\wedge}{\wedge}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

7-Negatively charged particles that rotate around the nucleus
()
8-A resistance which is used to control the intensity of the electric current
()
9-The ratio between the potential difference flowing through it across the
terminals of a given conductor and the electric current intensity
()
10-The measuring unit of electric current intensity ()
What will happens if and why?
1-The circuit of ohm's law doesn't contain variable resistance
2-The time of flowing the electric charges through a certain cross-section
of a conductor is doubled
3-Two conductors having the same electric potential are connected
together by a wire School

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

☆☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

**☆ ☆** 

☆

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

☆☆

## Worksheet (2) – unit (2)

☆☆

☆

☆☆

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

4

☆

☆☆

☆☆

☆

☆☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

#### **Complete:**

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\overset{\wedge}{\wedge} \overset{\wedge}{\wedge} \overset{\wedge}{\wedge}$ 

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $^{\diamond}$ 

1-The name of the apparatus which its idea of operation depends on this
work is, and it convertsenergy
intoenergy
2-Direct current can be transferred todistances, which
alternating current can be transferred todistances
3-There are two methods of connecting electric cells which are
and
4-In the simple cell, theenergy is converted into
energy
5-Alternating current is used inand
6-Similar electric cells are connected into obtain a high
electromotive force and are connected in to obtain an e.m.f.
equal to one of them
6-The kinetic energy used into obtain electric energy from
electric power stations.
7-To obtain highest electromotive force, the electric cells are connected
inSuper School
8-The group of similar cells which are connected in parallel make a battery
of e.m.f. isthan that of one cell
9-The electric current can be generated by two methods, which are
and

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\square}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\simeq}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\square}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

☆ ☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

3-In the electric cell, the mechanical energy is converted into electric
energy ( )
4-The idea of operation of dynamo is conversion the kinetic energy into
electric energy ( )
5-The direct current can be transmitted for long distances ( )
6-Dry cells and batteries are from the sources of direct current ( )
Compare between each pair of the following:
1-Direct current & alternating current
2-Connection in series & connection in parallel
94age School

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

## Worksheet (3) – unit (2)

☆☆

☆

☆☆

 $\stackrel{\wedge}{\bowtie}$ 

☆ ☆

4

☆

☆☆

☆☆

☆ ☆ ☆ ☆
☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

#### **Complete:**

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $^{\diamond}$ 

1-The mass of the atom is concentrated in thewhich
containsand
2-The energy stored in the atomic nucleus due to various forces is called
which is librated due to nuclear reactions
3-Theforce is very strong and it holds the protons and the
neutrons together inside the
4-Radioactive materials are used as a nuclearfor
that fly in space.
5-Radiation pollution is the increase of the amount of in
the
6sources of radiation pollution are due to explosion of
nuclear bombs from time to time or due to
7-The composition of the atom is responsible for the
and properties of the element
8is the spontaneous conversion of atoms of some elements
present in nature to reach a more stability
9-Establish laws for nuclear plants to cool thewater before
throwing it in theand
10-The radiation pollution due to the explosion in the Russian reactor at
Chernobyl accident are and Isotopes

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

5-The nuclei of radioactive elements are unstable
4-The area chosen for storing radioactive wastes should be stable
3-Nuclear energy from radioactive sources is used in medical field
2-Radiation pollution occurs
Give reasons:  1-Some elements are called radioactive elements
radiation causing decrease in the number of cells.
14-Theis the first in the human body which is affected by
theeffects due to exposure to radiation
13-The changes in the chemical composition of the is from
beand don't exposed toand
12-The area chosen for storing radioactive wastes should
for human in one
11-The maximum safe doses of nuclear radiation shouldn't exceed

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

BARON LANGUAGE SCHOOL	. 7
6-Radioactivity has natural sources and also artificial	
What is meant by ?	
1-Isotopes	
2-Radiation pollution	
3-Cellular effects of radiation	
5-Central effects of faulation	
4-Natural radioactivity	
5-Radioactivity phenomenon	
6-Nuclear energy	

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆ ☆

☆

☆

☆

☆ ☆

☆☆

 $\stackrel{\wedge}{\simeq}$ 

☆ ☆

☆☆

 $\stackrel{\wedge}{\simeq}$ 

☆

☆

☆

 $\stackrel{\wedge}{\square}$ 

 $\stackrel{\wedge}{\not\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\frown}{\updownarrow}$ 

 $\stackrel{\wedge}{\not\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\bowtie}$ 

☆

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\simeq}$ 

☆☆

 $\stackrel{\cdot}{\not\sim}$ 

☆

☆

☆

☆

☆

☆☆

☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

**☆ ☆** 

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆☆

☆

☆

☆

☆

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\cancel{\sim}}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\cancel{\sim}}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\simeq}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\cancel{\sim}}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\cancel{\sim}}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

## Worksheet (1): Unit (3)

☆☆

☆☆

 $\stackrel{\wedge}{\bowtie}$ 

4

☆ ☆

☆

☆ ☆ ☆ ☆
☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

☆

#### **Complete:**

 $\stackrel{\wedge}{\sim}$ 

☆

☆☆

 $\stackrel{\wedge}{\sim}$ 

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $^{\diamond}$ 

1-There are two kinds of traits which areand
2-Each pair of contrasting characters is calledpair, where one
of the two characters is
3-Mendel's first law is called the law of, while
Mendel's second law is called the law of
4-In human beings, the individual who receives at least one dominant gene
from either parents will has thetrait
5-Mendel usedplant in his experiments
6-The skill of playing football is an example oftraits,
while the skin color is an example oftraits
7-In plants, male gametes areand the female gametes are
while in animals, male gametes areand
female gametes are
8are examples of dominant traits
in human being, whileandare examples of
recessive traits in human being.
9-The traits that don't transmit from a generation to another are the
traits
10-The individual is called hybrid in the presence of
11-The ratio of appearance of the dominant trait through the individuals of
the first generation isaccording to Mendel's first law.

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

12-When a short stemed, white flowered pea plant is cross pollinated with
a long stemed, purple flowered pea plant, all plants of first generation are
13-The characterized ratio for the second generation in the law of
independent assortment of hereditary factors is
14-According to Mendel's first law, the hereditary factors
When gametes are formed.
Give reasons:
1-Mendel select the pea plant to conduct his experiments
2-the offspring is similar to his father in some characters and his mother in
other ones
3-The disappearance of the recessive character in the individuals of the
first generation in Mendel's experiments
949e School
4-When you pollinate a pure tall stemed pea plant with a short stemed pea
plant, they produce plants all are tall stems

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

BARON LANGUAGE SCHOOL
5-The ability of bending the tongue is dominate trait in the human being
What is meant by ?
1-Gametes:
2-Dominant trait:
3-Hereditary traits:
4-Acquired traits
5-Genetics
9/2
Compare between each pair of the following:
1-Dominant trait & recessive trait

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

☆

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\simeq}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\boxtimes}$ 

 $\overset{\wedge}{\sim}$ 

☆

☆

☆ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

☆

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\overset{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\simeq}$ 

☆ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

	BARON LANGUAGE SCHOOL
2-'	The individual of the first generation & the individual of the second
ge	neration in Mendel's experiments
• • •	
3-]	Inherited trait & acquired trait
Pu	at $(\sqrt{\ })$ or $(\mathbf{X})$ and correct the wrong ones:
1-5	Straight hair is one of recessive traits in the human being ( )
2-]	Mendel assumed that hereditary trait are transmitted from a generation to
an	other by means of genes ( )
3-'	The acquired traits are transmitted from one generation to another ( )
4-	The first Mendel's law is called the free distribution of hereditary factors
,	

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\simeq}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\square}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

☆  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

5-Mendel chose seven contrasting traits in pea plant to conduct his
experiments ( )
6-The hybrid individual has a dominant factor and recessive factor ( )
Problems:
1-A pea plant of pure tall stem pollinates another one of short stem.
Explain on the bases of genetic principles, the genetic composition for the
first and second generation
2-A pure black rat (BB) crosses a brown female (bb). Mention the colors
and the ratios of resulted rats in the first and second generations explaining
that on the basis of genetic principles.
(9)

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\simeq}$ 

☆

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\square}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\simeq}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

☆

☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\simeq}$ 

☆ ☆

☆

Scientists believe that drawing a map will help them to identify the genes responsible for the various diseases like cancer, diabetes, vascular, mental diseases, and to identify the various hereditary functions to the human

☆

☆

☆

☆ ☆

☆

☆

 $\stackrel{\wedge}{\bowtie}$ 

☆

 $\stackrel{\wedge}{\bowtie}$ 

☆

## Worksheet (2) – unit (3)

#### **Complete:**

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

1-There are four types of nitrogenous bases in DNA molecule which are
and
2-Genes are parts ofpresent in
3-Chromosome chemically consists of a nucleic acid called
Combined with protein.
4-Genes are found inside theof each body cell
5-Mutations differ and change according to many factors as,
inheritance,and harmful or useful effect
6is the change in the nature of the hereditary factors
that control the traits of a living organism which results in a change in the
living organism's trait
7mutation occurs in the body cells, while
mutation occurs in the reproductive cells
8-Most of mutations lead to the appearance oftraits
9-When a nitrogenous base is replaced by another one in the code of three
in the gene a of another type is formed

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

10-Every gene gives a specialthat produces a
showing a specific hereditary trait
11-The hereditary traits are transmitted from parents to their offspring
through
12-Themutations produce new individuals with different traits
Give reasons:
1-DNA molecule consists of an infinite number of nucleotides
2-There is a specific code for the appearance of each hereditary trait
3-Some mutations are not transmitted from a generation to another
4-Man need to make some mutations artificially
5-Different genes produce different enzymes
149e 2011

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

### **BARON LANGUAGE SCHOOL** 6-DNA molecule is called the double helix Put $(\sqrt{\ })$ or (X) and correct the wrong ones: 1-Thymine base paired with cytosine base in DNA molecule ( 2-Repetitive exposure to atomic rays produce spontaneous mutation ( 3-The induced mutation leads to biotic variation ( 4-Sterilization in plants is an example of the desirable mutations ( 5-Mutation in the somatic cells is transmitted to offspring ( 6-Spontaneous mutations occur without the interference of the human being ( 7-The fetus inherits his genes from both parents ( 8-The centrosome chemically consists of a nucleic acid connected with protein ( What is meant by? 1-Nucleotides: 2-Somatic mutations:

☆ ☆

☆

☆

3-Gamete mutations:

5-Chromosomes

4-Genes:

Suage Schoo

#### Worksheet (1) – unit (4)

☆☆

☆

☆☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

4

☆☆

☆ ☆ ☆ ☆
☆

 $\stackrel{\wedge}{\simeq}$ 

☆

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

#### **Complete:**

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\wedge} \stackrel{\wedge}{\wedge}$ 

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

**☆ ☆** 

 $^{\diamond}$ 

1-Hormones are secreted into the blood stream by
2, two adrenal glands,,
two ovaries and two testes are considered the most important endocrine
glands in the human body
3is a chemical message that controls and organizes
most of the vital activities and functions in the body of living organism
4-Thehormone produces the female secondary sex
characteristics, whilehormone produces the male
secondary sex characteristics
5-Through themechanism, when blood sugar level
gets lower than the normal, pancreas secreteshormone
6-Cells disability to use glucose sugar is the main symptom of
disease, while the continuous growth of limb's bones is the main symptom
ofdisease.
7-When the secretion of the growth hormone decreases at the childhood,
man suffers from
8-The two hormones secreted by pancreas areand
9-Endocrine glands secrete more thanhormones in the
human body
10-Homeostasis means the of the internal body
environment

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

11-On increasing thyroxin hormone level in the blood, it affects
gland to decrease its secretion ofhormone, so thyroid
gland decreases its secretion of thyroxin hormone
12-Thyroxin is athat regulates food assimilation in
your body.
13-Pituitary gland is called thegland
14-The hormone which determines the height that the person will reach at
adulthood stage ishormone
15-The hormone which stimulates the release of glucose sugar from liver
is thehormone
Give reasons:  1-Blood stream is the only way for hormones to reach their sites of action  2-Pituitary gland is called the master gland
3-Man suffers from simple goiter disorder when his food lacks from iodine

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

4-The stop of the body growth makes a person dwarf
5-The two adrenal glands have important role when man is exposed to
emergency
6-The growth takes place to some person in the bones of their limbs which
make them giants
Write the scientific term:
1-A gland located below the brain and it consists of two lobes, each one
secrets various types of hormones ()
2-A hormone which produces female secondary characteristics
()
3-Mechanism with which hormones work to achieve the internal balance
in the human body ()
4-A disease caused by the increase in the secretion of thyroxin hormone
()
5-A hormone disorder caused by the increase of secretion in the growth
hormone at the childhood ()

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

6-The element that enters in the composition of thyroxin hormone
()
Mention the role of each of the following:
1-Pituitary gland
2-Progestrone hormone
3-Insulin hormone
4-Adrenaline hormone
5-Pancreas
6-Parathormone hormone
What would happen if ?
1-When human body needs energy
2-If the pancreas decreases its secretion of insulin hormone

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

***********************************
3-When man takes a little amount of iodine in his food
4-When testosterone hormone doesn't secreted at adulthood stage in a male
human
Compare between each pairs of the following:
1-Insulin hormone & glucagon hormone
2-Adrinaline hormone & parathormone hormone
9/2
49e Scho

 $\stackrel{\wedge}{\square}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

☆ ☆

 $\stackrel{\wedge}{\simeq}$ ☆

 $\stackrel{\wedge}{\boxtimes}$ 

☆ ☆

 $\stackrel{\wedge}{\square}$ 

☆  $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\bowtie}$ 

 $\overset{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\simeq}$ 

☆

☆  $\stackrel{\wedge}{\square}$ 

 $\stackrel{\wedge}{\square}$ 

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆  $\stackrel{\wedge}{\not\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\overset{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\simeq}$ 

☆  $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\simeq}$ 

☆

 $\stackrel{\wedge}{\simeq}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\cdot}{\not}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\simeq}$  $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\cdot}{\not\sim}$ 

☆

☆ ☆

 $^{\stackrel{\wedge}{\sim}}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\cancel{\sim}}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\cancel{\sim}}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\cancel{\sim}}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\cancel{\sim}}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\cancel{\sim}}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\not\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\cancel{\sim}}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\cancel{\sim}}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\cancel{\sim}}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\cancel{\sim}}$ 

#### **Final Revision**

 $\stackrel{\wedge}{\Rightarrow}$ 

☆☆

☆

☆

☆☆

☆

☆

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

4

☆

 $\wedge \wedge \wedge \wedge \wedge \wedge$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

☆

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

#### **Complete:**

 $\stackrel{\wedge}{\sim}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $^{\diamond}$ 

2- Organs which secrete hormones are called
2- When sodium reacts with water,gas rises.
3-In DNA molecule, the nitrogenous base guanine pairs withbase.
4nitrate is used in the manufacture of sensitive camera films.
5-The change in the concentration of reactants and resultants in a time unit is
6process if the reaction between an acid and alkali to form salt
and water.
7-The Scientistis the founder of heredity, he used the seeds of
plant because its flowers areand thus it can be self
pollinate.
8-The ability to roll the tongue is from thetraits, while the
straight hair is fromtraits.
9-Nuclear energy is used in medicine toand
some diseases.
10-When the amount of iodine decreases in food, the secretion of
hormone decreases from thegland.
11-The measuring unit of electric charges is
12-The agent is the substance which loses one electron or more
during chemical reaction.
13-From the causes of spontaneous mutations areand

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\square}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

☆  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

14-Electric cells producecurrent, while the dynamo produces
current.
15-Duringreactions the compound breaks up by heat into its
simple components.
16-Calcium hydroxide is used in
17-The current intensity is measured by an apparatus calledand its
measuring unit is
18-Pancreas secretes a hormone calledwhich reduces the level of
sugar in the blood, and the decrease in its secretion causesdisease.
19-Genes are found on the, and the scientistsand
discovered the means of how the gene controls the appearance of
the trait
20-The reaction of contributing compounds is
21-Teelement shares in composing thyroxin hormone.
22-The ammeter is connected in the electric circuit in,while
the voltammeter is connected in
23-The DNA consists of small consecutive units calledand
each one consists of a group of phosphate and
24-The chromosome is chemically consisted ofcombined with
25-Cu (OH) <sub>2</sub> — Δ +
26-2N <sub>2</sub> O <sub>5</sub> +
27-NaCl + CuSO <sub>4</sub> ++

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

28-Mutation in thecells is transmitted to the offspring.
Give reasons:
1-Mendel choose the pea plant for his experiments.
2-Disappearence of the colour of copper sulphate solution after adding pieces
of magnesium.
3-Pancreas is a double function gland.
4-A reddish brown precipitate is formed when magnesium is added to copper
sulphate solution.
5-The usage of alternating current is preferred to the usage of direct current.
94aa School
6-Reaction between ionic compounds are fast whereas, reactions between
organic compounds are slow.

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

# BARON LANGUAGE SCHOOL 7-Pituitary glands is called master gland. 8-The occurrence of effervescence on putting a piece of aluminum in diluted hydrochloric acid. 9-The voltammeter is connected to both poles of the battery in the electric circuit. 10-The height of some persons may reach less than half meter. 11-The ability of rolling the tongue is a dominant trait in the human being. 12-We should use the green leaves of vegetables in our food. 13-Magnesium can replace copper in its salt solution.

 $\overset{\wedge}{\Rightarrow}$ 

☆

☆

☆

☆

☆ ☆

☆ ☆ ☆

☆

☆

☆ ☆

☆

☆

☆

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

14-The two adrenal glands have an important role when man is exposed to
emergency.
15-The blood is the only way for the hormone to reach its site of action.
16-The nuclei of radioactive elements are unstable.
17-A black substance is formed when copper carbonate is heated.
18-Uranium is one of radioactive elements.
19-Rheostat is used in some electric circuits.
20-A white precipitate is formed when silver nitrate solution is added to
sodium chloride solution.

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\frac{\wedge}{\wedge}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\frac{\wedge}{\wedge}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

21-A certain mass of iron filings reacts with acids faster than the reaction of a
block of iron have the same mass with acids.
22-The electromotive force (e.m.f) of a battery whose cells are connected in
series is greater.
23-The areas chosen for storing radioactive wastes should be steady.
24-The curly hair trait dominates the smooth hair trait.
25-The electric energy is the cleanest source of energy.
26-Oxidation and reduction are concurrent processes.
'94ge School
Put $()$ or $(\times)$ and correct the wrong ones:
1-Iron enters in the structure of thyroxin hormone. ( )
2-Volt is the measuring unit of the electrical resistance. ( )

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

☆ ☆

☆

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\frac{\wedge}{\wedge}$ 

☆☆

 $\stackrel{\wedge}{\sim}$ 

 $\frac{\wedge}{\wedge}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

3-Green leaves of vegetables contain folic acid which is necessary for the
proper growth of cells. ( )
4-The mutation which happens in the reproductive cells of the individual is
not transmitted to the offspring. ( )
5-Dwarfism is a disease caused by decreasing of calcitonin hormone of the
human body.( )
6-Calcium hydroxide is used in manufacture of anti-acidity stomach medicine.
( )
7-Genes are parts of DNA found in the cytoplasm of the cell.( )
8-Blood groups is considered as acquired traits. ( )
9-Mendel made a model of DNA structure. ( )
10-The blood sugar percentage increases if the pancreas stops secreting
glucose hormone. ( )
11-If the potential difference between the two ends of a conductor =110 volt
and the current intensity passing through the conductor is 0.1 ampere, the
resistance of this conductor =1100 ohm. ( )
12-Mutation in the somatic cells is transmitted to offspring. ( )
13-The measuring unit of electric resistance is coulomb. ( )
14-Most metal carbonates decompose on being heated into non-metals and
carbon dioxide gas. ( )
15-The solvent is the substance which is found with greater amount in the
solution. ( )

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆☆

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

☆ ☆

☆

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

☆☆

. 112,

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\square}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\square}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

☆

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

☆ ☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\simeq}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\square}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

28-If two individuals bearing a pair or more of alternative traits are crossed,
the trait of each pair is inherited independently of the others and appearance in
the second generation at a ratio of 6:3. ( )
29-Sodium chloride is used in the manufacture of explosives and fertilizers.
( )
30-The mathematical relation of Ohm's law is R=V/I. ( )
What is meant by:
1-Direct electric current:
2-Hereditary traits:
3-Mutation:
4-Mendel's second law:
5-Chemical reactions:

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

BARON LANGUAGE SC	HOOL
6-Diabetes:	
7-Dwarfism in human beings	:
8-Natural radioactivity:	
0.777 1	
9-The ohm:	
10-The hormone:	
TO-The normone.	
Give one use of each of the	following
1-Sulphuric acid.	ionowing.
_	
2-Calcium carbonate	ge School
2 Calcium carbonate.	ge School
3-Adrenal hormone.	
5 Adrena normone.	

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆

 $\frac{\wedge}{\wedge}$ 

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

☆☆

☆

☆

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

☆

☆ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\bowtie}$ 

☆

☆ ☆

☆

☆☆

☆

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

<u>☆</u>

 $\stackrel{\wedge}{\simeq}$ 

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\overset{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\simeq}$ 

☆

☆ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

☆☆

 $\stackrel{\wedge}{\diamondsuit}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

**☆ ☆** 

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Rightarrow}$ 

**☆ ☆** 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\frac{1}{2}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\frac{1}{2}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

4-The induced mutation.
5-Ammeter.
6-Testosterone hormone.
7-Dynamo (electric generator).
8-Variable resistance (Rheostat).
9-Potassium nitrate in industry.
10-Genes.
Physical School
age School

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

☆

 $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\bowtie}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\simeq}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

☆  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

☆

 $\stackrel{\wedge}{\Longrightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

☆

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ ☆

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\boxtimes}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$  $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\sim}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$  $\stackrel{\wedge}{\Rightarrow}$ 

 $\stackrel{\wedge}{\Longrightarrow}$ 

 $\stackrel{\wedge}{\boxtimes}$ 

## 2<sup>nd</sup> Term Science revision for prep3

#### Sheet (1)

[1] Choose:		
1. When we heat metal oxide, we get		
- Mercuric oxide & water - Mercuric oxide & oxygen		
- Mercury & hydrogen - Mercury & oxygen		
2. When copper hydroxide is heated, we obtain		
- Copper carbonate & water - Copper oxide & water		
- Copper oxide & hydrogen - Copper & hydrogen		
3. When calcium carbonate is heated are obtained.		
- Calcium bicarbonate & carbon dioxide - Calcium hydroxide & carbon dioxide		
- Calcium oxide & carbon monoxide - Calcium oxide & carbon dioxide		
4. Most metal sulphates decompose when heated to metal oxide and gas.		
$\mathbf{CO_2} - \mathbf{O_2} - \mathbf{SO_2} - \mathbf{SO_3}$		
5. On heating copper sulphate, a Precipitate is formed.		
Black – green – blue – reddish brown		
6. Some metal nitrates are decomposed by heat into		
Metal nitrite &oxygen gas Metal nitrate & oxygen gas		
Nitrogen oxide & oxygen gas No correct answer		
[2] Write the scientific term:		
1. The breaking up of molecules of reactants and forming of new coherences in the molecules of the products{}		
2. Chemical reactions in which the compound is broken up into simpler one by the effect of heat. {}		
[3] Put ( $\sqrt{\ }$ ) or (X), then correct:		
1. Most metal carbonates decomposed by heating into metal oxide and CO <sub>2</sub> . ( )		

[4] Complete:
1. Chemical reaction is a process involves In the reactants molecules and formation of in the product molecules.
2. During Reactions, the compound is broken up by heat into its simpler components.
3. Copper hydroxide is decomposed by heat into and
4. Most metal carbonates undergoes thermal decomposition into
5. 2HgO+
6. Cu(OH) <sub>2</sub> +
7. CuCO <sub>3</sub> +
8. 2NaNO <sub>3</sub> +
[5] Give reason for;
1. A black substance is formed on heating copper carbonate.
[7] What happens when:
1. Heating of red mercuric oxide.
2. Heating of blue copper sulphate.
<u>Sheet (2)</u>
[1] Choose:
1. Some metal can replace another one in the solution of these metals which
a. Follow it in chemical activity series b. Below it in chemical activity series
c. A&B are correct d. No correct answer
2. Active metals react with water as they substitute hydrogen of water which rises and produce
Metal oxide – metal nitrate – metal hydroxide – metal nitrite
3. Zinc react with dilute hydrochloric acid and Salt is formed.

Zinc chloride – zinc sulphate – zinc nitrate – no correct answer
4. On heating copper turning to dilute hydrochloric acid, is produced.
Copper hydroxide – copper carbonate – copper chloride – no correct answer
5. Potassium reacts with dilute hydrochloric acid forming
Potassium nitrate – potassium sulphate – potassium chloride – no correct answer
6. The reaction between acid and alkali gives
Water &salt – salt &hydrogen – salt &oxygen
7. When potassium hydroxide reacts with dilute hydrochloric acid
Potassium chloride &water – potassium sulphate &water -potassium oxide &water – all of the previous choices
8. Clear lime water turbid on passing gas through it.
Nitrogen dioxide - sulphur dioxide - carbon dioxide
9. On heating silver nitrate solution to sodium chloride solution, a
Blue – reddish brown – white – red
[2] Put ( $\sqrt{\ }$ ) or (X), then correct:
1. The arrangement of metals in a descending order according to the rate of their chemical activity is called periodic table.( )
chemical activity is called periodic table.( )
chemical activity is called periodic table.( )  [3] Write the scientific term:  1. The arrangement of metallic elements in a descending order according to the rate of
chemical activity is called periodic table.( )  [3] Write the scientific term:  1. The arrangement of metallic elements in a descending order according to the rate of their chemical activity.{
chemical activity is called periodic table.( )  [3] Write the scientific term:  1. The arrangement of metallic elements in a descending order according to the rate of their chemical activity.{

# [4] Complete:

- 1. The arrangement of metals in a descending order according to their chemical activity is called ......
- 2. Sodium reacts with water giving ...... and ...... gas evolves.
- 3. ..... process is the reaction between an acid and an alkali to produce a salt and water.
- 4. On adding silver nitrate solution to sodium chloride solution, a ................ precipitate of ............. Is formed.
- 5. 2Na + 2H<sub>2</sub>O \_\_\_\_\_ + .....
- 6. Zn + 2HCl \_\_\_\_\_+
- 7.  $2Al + \dots 2AlCl_3 + \dots$
- 8. Mg + 2HCl + ..... + .....
- 9. ..... + ..... NaCl + H<sub>2</sub>O
- 10. NaCl + AgNO<sub>3</sub> + ...... + .....

#### [5] Give Reason for:

- 1. Copper doesn't react with dil. Hydrochloric acid.
- 2. Gold doesn't react with dilute acids.
- 3. The reaction between aluminum and dil. Hydrochloric acid takes a short time to start.
- 4. Magnesium substitutes copper in copper sulphate solution, while the opposite can't happened.
- 5. A reddish brown precipitate is formed when magnesium is added to copper sulphate solution.
- 6. The occurrence of effervescence on putting a piece of aluminum in dil. Hydrochloric acid.

#### substitution reaction.

#### Sheet (3).

#### [1] Choose:

1. In the reaction:
$H_2 + CuO$ $\longrightarrow$ $Cu + H_2O$ , the oxidizing factor is
$\mathbf{H_2} - \mathbf{CuO} - \mathbf{Cu} - \mathbf{H_2O}$
2. The oxidizing agent is the substance which during a chemical reaction.
Gives oxygen – removes hydrogen – loses hydrogen
3. The oxidation agent is the substance that
Gives oxygen – removes oxygen – gives hydrogen
4. Oxidation is a chemical process involves an increase in the percentage ofgas.
Helium – hydrogen – oxygen – fluorine
5. In the reaction :
$2Na + Cl_2$ $\longrightarrow$ $2NaClwe$ can say that sodium (11Na) is a reducing factor because it
Units with oxygen – loses one electron – gains one electron – gains hydrogen
6. When sodium atom loses an electron from its outermost energy level, it becomes
Oxidized - reducing agent - reduced
[2] Put $(\sqrt{\ })$ or $(X)$ , then correct;
1. Reduction is a chemical process where the atom loses electron(s). ( )
2. Chloride ion is a negative ion as it loses an electron.(
3. Sodium ion is positive ion (Na+) as it accepts an electron.( )
4. Oxidation and reduction reaction take place separately.( )
[3] Write the scientific term:
1. A chemical process in which an atom of element gains one electron or more. {}
2. A chemical process which causes the increase of the oxygen percentage or decrease in the hydrogen content.{}

	tance which takes oxygen or gives hydrogen during a chemical reaction.
5. A substa	nce which loses an electron or more during chemical reaction. {}
[4] Com	plete:
1. On passi	ng hydrogen gas over hot copper oxide, copper oxide is converted into
2a chemical	agent is the substance which takes oxygen or gives during reaction.
3. Oxidatio	n is a chemical process where the atom an electron or more.
4chemical re	
5. Oxidatio	n and reduction are two Processes.
[5] Give:	reason for:
1. In the re	action :
	2NaClSodium is considered as a reducing agent, while considered as an oxidizing agent.
[8] What	happens if: Passing hydrogen gas over hot copper oxide.
[10] In tl	ne following reaction :
Copper oxid	de black + Hydrogen ————— Copper + H2O
1. What ha	ppens to black copper oxide ?
2. What ha	ppens to hydrogen gas ?
3. Write th	e chemical equation which express the chemical reaction.
4. Why doe reducing ag	s black copper oxide act as an oxidizing agent and hydrogen gas act as a gent ?
[11] In t	he following reactions:
Dotormino	the oxidizing agent and the reducing agent and mention why?

1. $H_2 + CuO$ $\Delta$ $H_2O + Cu$
$2. 2 \text{Mg} + \text{O}_2$ $\longrightarrow$ $2 \text{MgO}$
3. $Mg + Cl_2$ $\longrightarrow$ $Mg^{2+} + 2Cl^-$
<u>Sheet (4)</u>
[1] Choose:
1. At the beginning of the reaction, the percentage of reactants concentrations equals $100\% - 0\% - 50\%$
2. The speed of the reaction of oil with caustic soda is
Faster – relatively fast – slower – relatively slow
3, Factors that affect the speed of reaction are
Temperature of reaction – concentration of reactants – nature of reactants – all of the previous answers
4. Iron filings react with dilute hydrochloric acid faster than a piece of iron has the same mass due to the
Increase in concentration – presence of catalyst – increase in surface area – no correct answer
[2] Put ( $\sqrt{\ }$ ) or (X), then correct;
1. The reactions of ionic compounds are slower than that of coordinate compound.( )
[3] Write the scientific term:
1. The change in the concentration of reactants and resultants in a time unit. {
[4] Complete:
1. Nitrogen pentoxide break up into
2. At the beginning of the reaction, the concentration of reactants is
3. The change in the concentration of reactants and resultants in a time unit is
4. The rate of chemical reaction depends on

6. Sodium chloride powder reacts	Than a cube of sodium chloride.	
[5] Give reason for:		
1. Reactions between ionic compounds at compounds are slow.	re fast whereas, reactions between orga	nic
2. A certain mass of iron filings reacts w iron mass with acids.	ith acids faster than the reaction of a bl	lock of
3. Using nickel filings in hydrating oil in	stead of pieces of nickel.	
<u>S1</u>	<u>neet (5)</u>	
[1] Choose:		
1.The rate of chemical reaction increase	d by rising temperature due to the	
- Increase in the number of collision	s between reactants	
- Presence of covalent or ionic bond	s - Increase in the surface area	
2. The substance which change the rate known as	of the reaction without itself being char	nged is
Oxidizing agent – active a	gent – catalyst – reducing agent	
3. Catalyst increase the rate of chemical	reaction because it	
- Decreases the energy needed to sta	art the reaction	
- Combines with reactants the	n separates away to give the produc	ct.
- Doesn't c	hemically change	
[2] Put ( $\sqrt{\ }$ ) or (X), then correct:		
1. The increase in the concentration of the between molecules so that, the speed of		llisions )
2. Rate of chemical reaction is increased	by decreasing temperature. (	)
[3] Write the scientific term:		
1 A substance which increases the spee	d of the chemical reaction without inter	fering

[4] Give reas	on for:
1. The speed of creactants increa	chemical reaction increases when the amount (concentration) of the ses.
2. The rate (spee	ed) of chemical reaction increases by heating.
3. The fridge is u	used to preserve food.
4. Catalyst is us	ed in some chemical reactions.
[9] Mention (	the function of;
1. Refrigerator	
2. Catalyst in ch	nemical reaction
3. Enzymes in th	ne human body
	Sheet (6)
[1] Choose:	
1. The	Is the measuring unit of the electric charges.
	Coulomb – Ampere – Volt
2. The measurin	g unit of the electric current intensity is
	$\mathbf{Ampere-volt-ohm-coulomb}$
3. The ammeter	is used to measure in the electric current.
Pote	ntial difference – current intensity – resistance – e.m.f.
[2] Put ( $$ ) or	(X), then correct:
1. The ampere is second.	the charge transferred by a constant current of one ampere in one
2. The measurin	g unit of electric current resistance is coulomb.( )
3. The ammeter	measures the potential difference between the two ends of a conductor
4. In the electric	circuit, the ammeter is connected in parallel.( )
[3] Write the	e scientific term:
1. The flow of ele	ectric negative charges in a conducting material (metal wire) {}

2. The electric current intensity passing through a circuit when a charge of one coulomb passes through a given cross section in one second. {}
3. The current intensity produced by flowing one coulomb of electric charges in one second through a conductor.{}
4. The quantity of electric charges that flow through a conductor in a unit time. {}
5. A device used to measure the electric current intensity.{}
[4] Complete:
1. The current intensity due to the flow of 2700 coulomb in 300 second through a cross section of a conductor equals
2. The apparatus is used to measure the current intensity in units.
[7] Problems:
1. Calculate the electric current intensity that flows through cross section of a wire if a charge of 10 coulomb passes through 2 seconds.
2. Calculate the current intensity due to the flow of 5400 coulomb in 5 min. through a cross section of a conductor.
3. Calculate the quantity of electricity that flows in a wire if the current intensity passes through it is 18 amperes in a time of 7 minutes
Sheet (7).
[1] Choose:
1. For measuring the potential difference between two terminals of a conductor, we use apparatus.
Pyrometer – barometer – voltmeter – ammeter
2. The is used to measure the e.m.f. of a battery.
Voltmeter - ammeter - rheostat - ammeter
3. The unit that is used in measuring the electric resistance is
Ohm – ampere – volt – coulomb
4. The Is used to measure the electric resistance.
Ammeter – voltmeter – ohmmeter – rheostat

5. The sliding rheostat is used to control
- Current intensity & potential difference - Resistance & potential difference
- Current intensity & resistance
6. The value of resistance of an electric conductor in an electric circuit is changed on changing
- Dimension of a conductor - Electric current intensity passing through it
- Potential difference between its terminals - Other electric circuit components
7 Is the mathematical relation OF Ohm's law.
R=V/I - I=RV - R=VI - V=R/I
[2] Put ( $\sqrt{\ }$ ) or (X), then correct:
1. The voltmeter is used to measure the electric resistance.( )
2. The electric current intensity passing through a conductor is inversely proportional to the potential difference between its ends at constant temperature. ( )
3. The resistance of a conductor that one ampere is passed through it when the potential difference between its terminals is 1 volt equals 10 ohm. ( )
4. If the potential difference between the two ends of a conductor is 3 volt, and an electric current intensity of one ampere passes through it, the resistance of a conductor is one ohm.
[3] Write the scientific term:
1. The electric state of a conductor that show the transference of electricity from and to it. {}
2. The value of the work done to transfer a unit of electric charge between two ends of a conductor.{}
3. The potential difference across two poles of the battery when the circuit is open. {}
4. The measuring unit of electromotive force of the electric cell. {
5. The opposition of the electric current during its flow in the conductor. {}

6. The resistance of a conductor that allows the passing of an electric current of 1 Ampere through it when the potential difference across its ends is 1 volt.
{}
7. The instrument used in measuring the electric resistance.{}
8. The electric current intensity is directly proportional to the potential difference between two terminals of a conductor at constant temperature.{}
[4] Complete;
1. On connecting two charged conductors, the electric current passes from the conductor with potential to the conductor of potential.
2 is measured by voltmeter and has a measuring unit known as
3. In the electric circuits, the ammeter is connected In, while the voltmeter is connected in
4. The is used to measure the electromotive force of a battery in unit known as
5 apparatus is used to measure the resistance in the circuit.
6. The measuring unit of the resistance in the circuit is
7. The potential difference between the two terminals of a conductor is proportional to the intensity of the current passing through it at constant temperature.
[5] Give reason for;
1. When two conductors have the same potential are connected, no electric current passes.
2. The voltmeter is connected across the two poles of a battery.
3. Rheostat is used in some electric circuits.
[7] What happens when?
1. The length of the rheostat wire increases .(to the electric circuit).
2. Potential difference between the terminals of a conductor is doubled at constant temperature. (for current intensity passing through it)

#### [9] Problems:

- 1. Calculate the quantity of electricity that passes through a conductor of a resistance 2200 ohm for two minutes, when it is connected with a source of electric potential 220 volts.
- 2. Calculate the potential difference between the two ends of a vacuum cleaner whose resistance is 22ohms And current intensity passing through it is 10 Ampere.
- 3. If an electric current of 0.2 ampere passes in an electric heater and the potential difference between its two ends is 220 volts, calculate the heater resistance.
- 4. What is the quantity of electricity which passes through a conductor its resistance 1000ohm for 30 minutes when the potential difference across its ends is 220 volts.
- [10] Draw the electric circuit used to achieve Ohm's law, then state Ohm's law and its mathematical relation.

#### Sheet (8)

[1] Choose;
1. Direct current can be produced from
Electrochemical cells – electric generator – electric power station - electric motors
2. In the simple cell, the Energy is converted into electric energy.
Kinetic – magnetic – chemical – mechanical
3. The direct current is used in
Lighting houses and streets – operating appliances – all of them
4. The direct current is produced from
Electric generators – electrochemical cells –electric power stations
5. From the properties of direct current is that
Has constant intensity only - changeable direction - constant intensity & direction
6. To generate an alternating current we use the

Rheostat – dynamo – ammeter – ohmmeter

Magnetic - kinetic - chemical - light

7. In dynamo, ..... energy is converted into electric energy.

8. Alternating current is characterized by ..... Constant intensity only - variable direction only - variable intensity & direction - variable intensity only 9. On connecting four electric cells, the e.m.f. of each one is 1.5 volts in series, the total e.m.f. of the new battery equals ...... volts. (3-6-1.5-12)[2] Put  $(\sqrt{})$  or (X), then correct: 1. In electric cells and batteries, chemical energy is converted into electric energy.( ) 2. In dry cell, magnetic energy is changed to electric energy.( 3. Dynamo produces alternating current. ) 4. Electric current in houses is always direct current( 5. The e.m.f. of several cells which are connected in series is equal to e.m.f. of one cell. [3] Write the scientific term: 3. A type of connection of electric cells used to obtain high e.m.f.{......} [4] Complete: 2. The electric current ge3nerated from a dynamo is due to convert ...... energy to ..... Energy. 3. Electric cell produces ...... current, while the dynamo produces ...... current. 4. The ..... Electric current can be transported only for short distance. [5] Give reason for: 1. It is better to use alternating current rather than the direct current. 2. Some electric cells are connected in electric circuits in series. 3. Some electric cells are connected in electric circuits in parallel.

	motive force of a battery whose cells are connected in series is greater whose cells are connected in parallel.
[8] What is	s the importance of;
1. Dry cell 2. I	Dynamo 3. Direct current 4. Alternating current
[9] Show b	oy drawing:
1. A diagram ı	representing alternating current.
2. Connecting	of three cells in series and also in parallel.
[10] Proble	ems:
	aree similar cells, the electromotive force of each is 1.5 volt. Explain by am, how you can connect them to obtain an e.m.f. of:
a) 1.5 volts	b) 3 volts c) 4.5 volts
	our similar electric cells, the electromotive force of each one is 1.5 volt. Irawing how can you connect them to get batteries of e.m.f. of:
a	d) 6 volts b)4.5volts c) 3volt in two ways d) 1.5 volt
3. If you have and the 4 <sup>th</sup> is 3	4 dry cells the e.m.f. of each of the $1^{\rm st}$ & $2^{\rm nd}$ is 1.5 volts, the $3^{\rm rd}$ is 2 volts 3 volts.
Explain by dra	awing how can you connect them to obtain a new battery of e.m.f. equals
a) 8 volts	b) 6.5 volts
	Sheet (9)
[1] Choose	<b>:</b>
1. The radioac	ctive phenomena was discovered by the scientist  Ohm – Becquerel – Ampere – Volt)
2	. is a non-radioactive element.
	Radium – Uranium – Zerconium – Iron
[2] Write th	ne scientific term;
1. The process	of conversion of atoms of some elements to reach more stability.

2. The natural spontaneous decaying of the atoms of some elements in nature as an attempt to reach a more stable composition. {}
3. The radiation and nuclear energy emitted during nuclear reactions that can be controlled and carried out at nuclear reactor. {}
4. Atoms of the same element with different number of neutrons and with the same number of protons.{}
[3] Complete:
1. Nuclear energy is used in medicine in And
2. Nuclear energy is used to convert sand tosheets to be used in manufacturing of Appliances.
[4] Give reason for;
1. The nuclei of radioactive elements are unstable.
2. Some elements are called radioactive elements.
3. Uranium is one of radioactive elements
4. Radioactivity has natural sources and also artificial sources.
[6] Mention the importance of;
1. Radioactive elements in medicine
2. Nuclear energy in exploring space
3. Nuclear energy in drilling.
4. Nuclear energy in agriculture
5. Nuclear energy in medical field:
Sheet (10)
[1] Choose;
1. The effects the radiation is a result of changing the sex chromosomes of the cells. (Physical – genetic – cellular – none of them)
2. The measuring unit of absorbed radiation is(Curie – rem – rontgen – ohm)
3. Human being should not be exposed to radiation in amounts more than

[2] Write the scientific term;
1. The changes that take place to the living organism due to its exposure to radiations. {}
2. The measuring unit of absorbed radiation.{}
[3] Give reason for;
1. After Chernobyl accident, radioactive isotopes were found in the food products.
2. Radiation has genetic effects.
3. The areas chosen for storing radioactive wastes should be steady.
Sheet (11)
[1] Choose;
1 Is considered as the founder of modern Genetics science.
Mendleef - Mendel - Mozely - Morgan
2. The trait is always pure.
Acquired - hereditary - dominant - recessive
3. The result of the pollination between two pea plants, one hybrid yellow seeds and the other with green blue seeds is
100% green seeds – $100%$ yellow seeds – $50%$ green seeds & $50%$ yellow seeds.
[2] Put ( $$ ) or (X), then correct:
1. The acquired traits are transmitted from one generation to another. ( )
2. Mendel chose the bean plant to conduct his research.(
3. The recessive trait is the trait that appears in all individuals of the $1^{\rm st}$ generation in Mendel's experiment. ( )
4. In the $1^{\rm st}$ law of Mendel, the two contrasting traits appear in the second generation by a ratio of $2:1$ .
5. If the result of crossing between two individuals is 50% dominant and 50% recessive, this means that the parents are dominant.
[3] Write the scientific term:

1. The traits ready to be transmitted from one generation to another. {}
2. The traits that are not transmitted from one generation to another. {}
3. The branch of science that aims to explain how different characteristics transfer through generation.{}
4. A science that researches the transmission of the hereditary traits from one generation to another by studying the similarities and differences between the parents and the offspring.  {}
5. The trait that appears in all individuals of the $1^{st}$ generation in Mendel's experiments. $\{\dots, \}$
6. The appearance of a hereditary trait in the individuals of the 1 <sup>st</sup> generation when two individuals are crossed, one of them carrying a pure hereditary trait contrasting by a trait carried by the other individual.
7. Through which the hereditary traits are transmitted from parents to offspring. {}
8. The individual who carries a contrasting pair of genes, one is dominant and the other is recessive. {
[4] Complete:
1 science researches the transmission of hereditary traits from parents to the offspring.
2 traits are not transmitted from one generation to another.
3. The scientist Is the founder of heredity, he used the seeds of plant, because its flower are and thus it can self - pollinate.
4. During Mendel's experiments, he removed the stamen from the flowers before they become mature to prevent Pollination, and he covered some flowers to prevent pollination.
5. The trait that appears in all individuals of the $1^{\rm st}$ generation in Mendel's experiment is trait.
[5] Give reason for:
1. Learn to walk in children is not considered a genetic trait.
2. The skill of playing basketball isn't hereditary trait.

- - 3. Mendel selected (chose) the pea plant to conduct his experiments.
  - 4. Mendel removed the stamens from flowers of the plant before the anther becomes mature.
  - 5. Mendel covers the stigmas of the pistils of pea flower during the study of hereditary traits.
  - 6. Mendel let pea plants for self- pollinate for several generations.
  - 7. When a pure yellow pod pea plant is pollinated with pure green pod pea plant, they produce plants that all are with green pods.
  - 8. When you pollinate a pure tall stemed pea plant with a short stemed pea plant, they produce all plants tall stemed.

#### [7] What happens when.....:

- 1.Mendel didn't remove the stamens of the flowers of the pea plant that produces yellow seeds.
- 2. Pollination of peas flowers of hybrid yellow seeds with each other.
- 3. A dominant gene exists with a recessive one.

#### [9] Problems;

- 1. If crossing takes place between two pea plants, one of them of hybrid red flowers and the other of pure white flowers. Explain on the bases of genetic principles, the results of such crossing. Mention the ration of the obtained offspring.
- 2. In pea plant, what are the results of self-pollination of tall hybrid plat pure, by using the symbols (T,t) showing (parents gametes offspring)
- 3. Using the symbols to express the results of mating between a short stemed pea plant (tt) and a long stemed pea plant (TT).
- 4. If crossing takes place between two pea plants, one with pure red flowers and the other with white flower, explain on genetic bases the result of crossing between one of the 1<sup>st</sup> generation with plant of white flowers.
- N.B. The red flower is symbolized by ® & the white flower is symbolized by (r)
- 5. When a pea plant that has tall stem is crossed with a pea plat that has short stem, this crossing produced individuals with the ratio of 50% tall: 50 % short.

What is the genetic structure of parents and producing individuals (use "T" for tall "t" for short.

6. If a black mouse BB is crossed to brown female mouse (bb). Mention the colors and ratios of the resulting offspring in the  $1^{\rm st}$  generation and second generation. Illustrate on hereditary basis.

- 7. Mendel placed a group of assumptions (hypotheses) to explain the appearance of the dominant trait and the disappearance of the recessive trait in the first generation in the experiments that he carried with the pea plant. Explain these assumptions (briefly).
- 8. State the contribution of the scientist Mendel.

#### **Sheet (12)**

#### [1] Choose:

1. Which of the following trait is dominant in human being.

Smooth hair - blue colored eyes - attached ear lobe - absence of freckles

2. Which one of these traits is recessive in humans?

Curly hair - Wide eye - Free ear lobe - straight hair

#### [2] Put $(\sqrt{})$ or (X), then correct;

- 1. When two individuals differ in two pairs or more of alternative traits copulate the trait of each pair is inherited together and appears in the second generation at ration 3:1.( )
- 2. The ability to turn the tongue in a tube shape is dominant trait in human. ( )

#### [3] Write the scientific term:

- 1. The individual who carries a contrasting pair of genes, one is dominant and the other is recessive.{......}

#### [4] Give reason for:

- 1. The curly hair trait dominates over the smooth hair trait.
- 2. The ability of rolling a tongue is dominant in the human being.
- 3. The free ear lobe is dominant over the attached ear lobe.

#### [6] Problem:

- 1. Explain on genetic principles the genetic composition of the individuals resulting from crossing a pea plant with short stem (tt) with a hybrid red flowers with another one hybrid tall stem and white flowers.
- Tall stem is symbolized by (T) The red color is symbolized by (R)
- 2. What result is based on? when two pea pure plants are crossed, one of them of long stem and red flowers and the other of short stem and white flowers for traits in the 1st generation plants.
- 3. Explain by experiment to explain the law of independent assortment of hereditary factors.

<u>Sneet (13)</u>
[1] Choose:
1 put the model of DNA molecule. (Ohm – Mendel – Watson – Johansson)
2 is the part of DNA in the cell nucleus. (Gene – Gamete – Cytoplasm )
3 Is chemically composed of nucleic acid and DNA combined with protein.
(Cytoplasm – Chromosome – Gene)
[2] Put ( $\sqrt{\ }$ ) or (X), then correct:
1. Genes are parts of DNA found in the cytoplasm of the cell. ( )
2. The chromosome chemically consists of a nucleic acid connected with protein.( )
3. Mendel made a model of DNA structure. ( )
[3] Give the scientific term;
1. Parts of DNA that are present on the chromosomes and carry the hereditary traits of the individual.{}
2. It is chemically consisted of a nucleic acid called DNA combined with protein. {}
[4] Complete:
1. Chromosome is chemically composed of nucleic acid called which is combined with

2. The two scientists
3. The DNA consists of small consecutive units called
5. The two scientists Anddiscovered the means of how the gene controls in the appearance of the trait.
[6] Explain how the gene perform their function?
<u>Sheet (14)</u>
[1] Choose;
1. The hormone which regulates the level calcium in the blood is
Calciton in-thyrox in-progester on e-adrenal in
2. Calcitonin hormone is secreted from
Pancreas – thyroid gland – pituitary gland – parathyroid gland
3. The hormone liberates the needed energy from the food stuff.
Growth-estrogen-thyroxin-testosterone
4. The hormone which its deficiency causes the enlargement of the thyroid gland is
Estrogen-insulin-thyroxin-glucagon
5. The hormone that stimulates the release of glucose sugar from liver is the hormone.
Thyroxin-insulin-parathormone-estrogen
6. Glucagon hormone is secreted by
Pituitary gland – thyroid gland – adrenal gland – pancreas
7. The hormone which stimulates the body's organs to respond for emergencies is
Insulin – glucagon – estrogen – adrenalin
8. The hormone responsible for the appearance od secondary sexual male characters is the hormone.
Progesterone-testosterone-adrenal in-growth

9. The gland which secretes testosterone hormone is called
Pituitary gland – the two testes – thyroid gland – the two ovaries
10. The hormone responsible for the appearance of the female secondary sex character is the
Parathormone-estrogen-insulin-testosterone
[2] Put ( $\sqrt{\ }$ ) or (X), then correct:
1. Hormones are secreted by the duct glands ( )
2. Pituitary gland secretes a hormone that organizes the growth of the body.( )
3. Thyroid gland secretes a hormone that organizes the growth and development of sexual organs in the human body.( )
4. Dwarfism is the continual growth of human limb's bones, so the person becomes a giant.
5. The calcitonin hormone controls the level of calcium in the human body.( )
6. The glucagon hormone is secreted by pituitary gland.( )
7. The iron element shares in composing thyroxin hormone.
8. The adrenal gland secretes parathormone hormone which stimulates body's organ to respond to emergencies. ( )
9. Exophthalmic goiter is resulted due to thyroxin hormone deficiency. ( )
10. Feedback is the mechanism with which hormones act in the human body.( )
[3] Give the scientific term:
1. Organs secreting hormones in the human body.{}
2. They are ductless glands that secretes their hormones directly in the blood without passing through ducts.{}
3. A chemical message that controls and regulates the activities and functions of most of the body organs.{}
4. A gland secretes a hormone that regulates the growth of the human sexual organs. {}

5. A hormone which stimulates body's organs to respond emergencies. {}
6. A hormone which stimulates the storage of glucose sugar in liver.
{}
7. A hormone which appears the female secondary sex characters.
{}
8. Mechanism with which hormones act to achieve the homeostasis in the human body.
{}
9. The result when one of the endocrine glands does not act properly.
{}
[4] Complete:
1. A chemical substance that controls and regulates the functions of most of body organs is known as
2. Hormones are directly secreted into the blood stream by
3 gland secretes hormone which controls the general growth of the body.
4. Deficiency of hormone during stage causes dwarfism.
5. Thyroxin is a That regulates food stimulation in your body.
6. When the amount of iodine decreases in the food, the secretion of the
7. When the amount of glucose sugar decreases in the blood, pancreas secretes hormone
8. The hormone is secreted when the rate glucose sugar increases in the blood.
9. When glucose level increased in the blood, the pancreas secretes hormone which stimulates the body's cells to absorb From the blood.
10. Deficiency of insulin hormone secretion causes
[5] Give reason for:
1. Endocrine glands are called by this way.
2. Blood stream is the only way for hormones to reach their sites of action.

- 3. Pituitary gland is called master gland.
- 4. Pituitary gland plays an important role in delivery and breast feeding process.
- 5. The height of some persons may exceed 2 meters.
- 6. The height of some persons may reachless than half meter.
- 7. The limb's bones of some people grow continuously, so they become giant.
- 8. The stopping of the body growth, so the person becomes a dwarf.
- 9. Thyroid gland plays an important role in controlling the level of calcium in the blood.
- 10. The two adrenal glands have an important role when man is exposed to emergency.
- 11. Pancreas is a double function gland.

12. Diabetes disease is treated with insulin hormone.





# Questions Unit (1)

(1) Complete the following:
1) Nitrogen pentoxide breaks up into and gas.
2) At the beginning of the reaction, the concentration of reactants is
3) The speed of a chemical reaction can be measured practically by the
rate of of reactants or the rate of of resultants
4) The change in the concentration of reactants and resultants in a time
unit is
5) The rate of chemical reaction depends on,,
and
6) The reaction of contributing compounds is
7) The increase in concentration of reactants makes the chemical
reaction
8) A substance which increases the chemical reaction without sharing in
the reaction is
9) 2NaOH + CuSO₄ → +
10) Fe + 2HCl → +
11) $2N_2O_{\epsilon} \rightarrow +$

#### (2) Give reasons for:

- 1) The speed of chemical reaction increases when the amount of the reactants increases.
- 2) Food must be heated during its preparation.
- 3) Food goes rotten in summer days if it is not frozen.





#### (3) How can you differentiate between:

Sodium chloride solution and sodium hydroxide solution (by two different methods)

#### (4) Mention the function of:

(5) Complete the following:

1- refrigerator 2- Enzymes

(b) Complete the following.
1 is the mixture that is homogenous in and
properties.
2- It is possible to dissolve more solute in the solution.
3- An excess of the solute cannot be dissolved in solution.
4- The amount of the solute in saturated solution is than
that in super-saturated solution.
5- The aqueous solution of an acid contains ions, while that
of a base contains ions.
6- Acids change the litmus paper into
7- Acids react with to give and water.
8- Most bases have feel like
9 acid is produced in human muscles during physical exericises.
10- Calcium carbonates is used in the manufacture of and
11- Silve nitrates are used in the manufacture of sensitive





#### (6) Mention one use for each:

- 1- Hydrochloric acid
- 2- Magnesium hydroxide

#### (7) Give reason for:

- 1- Sodium and potassium minerals have a role in the human body.
- 2- The green leaves of vegetables have a great benefit.
- 3- The molten of coinage metals is considered as a type of solution.
- 4- The rheostat are used in the electric circuit.

#### (8) Define:

- Ohm's law

#### (9) What's meant by:

- A work of 10 joules is done to transfer a charge of 5 coulombs between two points.
- (10) **Solve:** If the quantity of electricity of 12 coulombs passes through a cross-section of a conductor in 3 seconds, what is the intensity of the current passing through that conductor?





### <u>Unit (2)</u>

<b>(1</b> )	Complete:			
1-	The current intensity	due to	the	flow

1- The current intensity due to the flow of 2700 coulomb in 300
second through a cross-section of a conductor equals
2- In the electric circuits, the ammeter is connected in,
while the voltmeter is connected in
$3-\text{Volt} = \frac{\text{joule}}{ \times \text{second}}$
4- There are two types of electric current which are and
5- The electric current can be transported only to short
distance.
6- There are two methods of connecting electric cells which are
and
7 and cesium are natural radioactive elements
8- Nuclear energy is used in medicine in and
of some diseases.
(2) Write the scientific terms:
1- The flow of electric negative charges in a conducting material
(metal wire). ()
2- A device used to measure the electric current intensity.
()





3- The work done to tra	nsfer unit of el	ectric charge	between two
ends of a conductor.		(.	)
4- The opposition to the	flow of electri	c current in th	ne conductor.
		(.	)
5- The potential differen	ice across the	two poles of	the battery when
the circuit is opened.		(.	)
6- The electric current of	of constant inte	ensity and dire	ection.
		(.	)
7- A type of connection	of electric cell	s used to obta	ain high e.m.f.
		(.	)
8- The process of conve	ersion of atom	s of some ele	ments to reach
more stability.		(.	)
9- The changes that tak	e place to the	living organis	sm due to its
exposure to radiation	IS.	(.	)
(3) Choose the corre	ct answer:		
1- Electrons are	charged	particles.	
<ul><li>a) positively</li></ul>		b) neutral	
c) negatively		d) no correct	answer
2 is the me	asuring unit o	f the electric	charges.
a) coulomb		b) Ampere	
c) volt		d) no correct	answer
3 is used to	measure the	e.m.f of a ba	attery.
a) Voltmeter b)	Ammeter	c) Rheostat	d) ohmmeter





4 is the measuring unit of electric resistance.				
	a) ohm	b) ampere	c) volt	d) coulomb
5- As the length of rheostat wire increases, the current intensity				t intensity
	a) increases		b) decreases	
	c) constant		d) there is no a	nswer
6- D	irect current can	be produced fro	m	
	a) electrochem	ical cells	b) electric gene	rators
	c) electric power	er stations	d) electric moto	rs
7- Ir	the simple cell t	he e	nergy is converte	ed into electric
е	nergy.			
	a) kinetic	b) magnetic	c) chemical	d) mechanical
8- Ir	n dynamo,	energy is cor	nverted into elect	ric energy.
	a) magnetic	b) kinetic	c) chemical	d) light
9- Alternating current is used in				
	a) electrolysis		b) lighting hous	е
	c) electroplating	9	d) both a & c	
10- Radioactive phenomenon was discovered by the scientist				
	a) ohm	b) Becquerel	c) Ampere	d) volt
11- Rockets use fuel for flying				
	a) gasoline	b) kerosene	c) natural gas	d) nuclear
12-	The measuring u	nit of the absorb	ed radiation is th	e
	a) curie	b) rem	c) Rontgen	d) ohm





#### (4) Give reasons for:

- 1- It is better to use alternating current rather than direct current.
- 2- The voltmeter is connected across the two poles of a battery.
- 3- Rheostat is used in some electric circuits.
- 4- Some cells are connected in electric circuit in series.
- 5- Some cells are connected in the electric circuit in parallel.
- 6- e.m.f. of battery whose cells are connected in series is greater than that connected in parallel.
- 7- Some elements are called radioactive elements.
- 8- Radiation has genetic effect.

#### (5) Problems:

- 1- Calculate the electric current intensity that flows through cross section of a wire, if a charge of 10 coulombs passes through in 2 seconds.
- 2- Calculate the current intensity due to the flow of 5400 coulomb in 5 min. through a cross-section of a conductor.
- 3- What is the quantity of electricity which passes through a conductor its resistance 100 ohm for 30 minutes when the potential difference across its ends is 220 volts.
- 4- You have three similar cells, the electromotive force of each is 1.5 volt. Explain by using a diagram how you can connect them to obtain an e.m.f of:
  - a) 1.5 volts
- b) 3 volts c) 4.5 volts



(1) Complete:

# 3rd Preparatory



## **Unit (3, 4)**

1	traits are not transmitted from one generation to
ć	another.
2- 7	The scientist is the founder of heredity, he used the
5	seeds of plant, because its flowers are and
t	hus it can self-pollinated.
3- 7	The trait that appears in all individuals of the first generation in
ľ	Mendel's experiments is trait.
4- (	Chromosome is chemically composed of a nucleic acid called
٠.	which is combined with
5- 7	The two scientists and were able to make
á	a model for DNA molecule.
6- I	n DNA molecule, the nitrogenous base, Guanine pairs with
	base.
7- 7	The gene mutation occurs as a result of the change in the
9	sequence of of the gene.
8- H	Hormones are directly secreted into the blood stream by
9	gland secretes hormone which controls
t	the general growth of the body.
10-	Thyroxin is a that regulates food assimilation in your
ł	oodv.





#### (2) Write the scientific term:

1- The traits ready to be transmitted from one generation to another.		
	()	
2- The trait that appears in all individuals	of the first generation in	
Mendel's experiments.	()	
3- The hereditary factors which transmit	traits from the parents to off	
spring.	()	
4- Through which the hereditary traits ar	e transmitted from parents	
to offspring.	()	
5- Parts of DNA that are present on the	chromosomes and carry the	
hereditary traits of the individual.	()	
6- It is chemically consisted of a nucleic	acid called DNA combined	
with protein.	()	
7- The mutations which are controlled by	human to obtain desirable	
traits in specific living organisms and	specially in the plants.	
	()	
8- Organs secreting hormones in the hu	man body.	
	()	
9- A chemical message that controls and	I regulates the activities and	
functions of most of the body organs.	()	
10- Hormone which stimulates the storage	ge of glucose sugar level in	
the blood.	()	
11- The result when one of the endocrine	e glands does not act properly	
	()	





#### (3) Choose the correct answers:

1- N	Mendel conducte	d his experiment	s in pea plant by	using
	pairs o	of traits.		
	a) 5	b) 7	c) 9	d) 11
3- T	he two factors o	f a hereditary tra	it are similar in th	e individual.
	a) pure	b) hybrid	c) recessive	d) a and c
4- V	Which one of the	se traits is reces	sive in humans	
	a) curly hair	b) wide eyes	c) free ear lobe	d) straight hair
5	put the	e model of DNA r	molecule.	
	a) ohm	b) Mendel	c) Watson	d) Johansson
6	is the ا	part of DNA in th	e cell nucleus.	
	a) Gene		b) Gamete	
	c) Cytoplasm		d) no correct ar	nswer
7- C	NA molecule co	nsists of	strands.	
	a) two	b) three	c) four	d) five
8- T	he m	ice don't have m	elnin pigment.	
	a) grey	b) white	c) black	d) brown
9- T	he hormone whi	ch regulates the	level of calcium i	n the blood is
tl	he ho	rmone.		
	a) calitonin		b) thyroxin	
	c) progesteron	е	d) adrenalin	
10-	The h food stuff.	normone liberate	s the needed ene	ergy from the
	a) growth		b) estrogen	
	c) thyroxin		d) testosterone	





- 11- Glucagon hormone is secreted by .....
  - a) pituitary gland

b) thyroid gland

c) adrenal gland

d) pancreas

#### (4) Give reasons for:

- 1- Mendel selected (choose) the pea plant to conduct his experiments.
- 2- The curly hair dominates the smooth hair trait.
- 3- The ability of rolling the tongue is dominant trait in the human being.
- 4- The free ear lobe is dominant over the attached ear lobe.
- 5- DNA molecule is called the double helix.
- 6- Some mutations are not transmitted from a generation to another.
- 7- We must not be exposed to radiation as x-rays.
- 8- Blood stream is the only way for hormones to reach their sites of action.
- 9- Pituitary gland is called the master gland.
- 10- The stopping of the body growth, so the person becomes a dwarf.
- 11- Pancreas is a double function gland.
- 12- Diabetes disease is treated with insulin hormone.

#### (5) Problems:

1- In pea plant, what are the results of self-pollination of tall hybrid plant pure, by using the symbols (T, t) showing (parents – gametes – offspring).





- 2- Using symbols to express the results of mating between a short stemed pea plant (tt) and a long stemed pea plant (TT)
- 3- If a black mouse BB is crossed to a brown female mouse (bb) mention the colours and the ratios of resulting offspring in the first generation and second generation illustrated on hereditary basis.
- 4- When a pea plant that has tall stem is crossed with a pea plant that has short stem, this crossing produced individuals with the ratio of 50% tall: 50 % short what is the genetic structure of parents and producing individuals (use "T" for tall "t" for short)





### **Model Answers**

#### (1) Complete the following:

- 1) Nitrogen pentoxide breaks up into <a href="mailto:nitrogen">nitrogen</a> dioxide and oxygen gas.
- 2) At the beginning of the reaction, the concentration of reactants is  $\frac{100\%}{100\%}$ .
- 3) The speed of a chemical reaction can be measured practically by the rate of <u>disappearance</u> of reactants or the rate of <u>appearance</u> of resultants.
- 4) The change in the concentration of reactants and resultants in a time unit is **the speed of chemical reaction**.
- 5) The rate of chemical reaction depends on <u>temperature</u>, <u>catalysts</u>, <u>concentration of reactants</u> and <u>nature of reactants</u>.
- 6) The reaction of contributing compounds is **slow**.
- 7) The increase in concentration of reactants makes the chemical reaction <u>faster</u>.
- 8) A substance which increases the chemical reaction without sharing in the reaction is **catalyst**.
- 9) 2NaOH + CuSO<sub>4</sub>  $\rightarrow$  Na<sub>2</sub>SO<sub>4</sub> + Cu(OH)<sub>2</sub>  $\downarrow$
- 10) Fe + 2HCl  $\rightarrow$  FeCl<sub>2</sub> + H<sub>2</sub>↑
- 11)  $2N_2O_5 \rightarrow 4NO_2 + O_2\uparrow$





#### (2) Give reasons for:

 The speed of chemical reaction increases when the amount of the reactants increases.

Due to the increase in the number of collision between molecules.

2) Food must be heated during its preparation.

To increase the speed of chemical reaction which help in cooking of food.

3) Food goes rotten in summer days if it is not frozen.

Due to the increase of the speed of chemical reaction done by bacteria.

#### (3) How can you differentiate between:

Sodium chloride solution and sodium hydroxide solution (by two different methods)

The first method: by adding silver nitrate solution if white ppt. is formed.

: the solution is sodium chloride:

$$NaCl + AgNO_3 \rightarrow NaNO_3 + AgCl \downarrow$$
 white ppt

**The second method**: by adding copper sulphate solution if blue ppt is formed.

: the solution is sodium hydroxide:

2NaOH + CuSO<sub>4</sub> 
$$\rightarrow$$
 Na<sub>2</sub>SO<sub>4</sub> + Cu(OH)<sub>2</sub>  $\downarrow$ 

#### (4) Mention the function of:

1- refrigerator : preservation of food

2- Enzymes: they control digestion of food





#### (5) Complete the following:

- 1- Solution is the mixture that is homogenous in composition and properties.
- 2- It is possible to dissolve more solute in the **unsaturated** solution.
- 3- An excess of the solute cannot be dissolved in **saturated** solution.
- 4- The amount of the solute in saturated solution is <u>less</u> than that in super-saturated solution.
- 5- The aqueous solution of an acid contains H<sup>+</sup> ions, while that of a base contains OH<sup>-</sup> ions.
- 6- Acids change the blue litmus paper into red.
- 7- Acids react with **bases** to give **salt** and water.
- 8- Most bases have **soapy** feel like **NaOH**.
- 9- Lactic acid is produced in human muscles during physical exericises.
- 10- Calcium carbonates is used in the manufacture of glass and cement.
- 11- Silver nitrates are used in the manufacture of sensitive camera film.

#### (6) Mention one use for each:

- 1- Hydrochloric acid: in detergents and polishing metals surfaces needed to be coated
- **2- Magnesium hydroxide:** in the manufacture of antacids.

#### (7) Give reason for:

- 1- Sodium and potassium minerals have a role in the human body.
  Because they are responsible for the transfer of nerve impulses.
- 2- The green leaves of vegetables have a great benefit.

  Because they contain folic acid which is necessary for the proper growth of cells.





- 3- The molten of coinage metals is considered as a type of solution.
  Because the coin is an alloy of copper dissolved in silver in a homogenous form.
- 4- The rheostat are used in the electric circuit.To control the electric current intensity flowing through the circuit.

#### (8) Define:

**Ohm's law**: the electric current intensity passing through a conductor is directly proportional to the potential difference across it at constant temperature.

#### (9) What's meant by:

- A work of 10 joules is done to transfer a charge of 5 coulombs between two points.

This means that the potential difference across the two points equals 10 / 5 = 2 volt

(10) Solve: If the quantity of electricity of 12 coulombs passes through a cross-section of a conductor in 3 seconds, what is the intensity of the current passing through that conductor?

**Solution**:  $I = \frac{q}{t} = \frac{12}{3} = 4$  amperes.





### **Unit (2)**

#### (1) Complete:

1- 13.5 Amp.

 $3-\text{volt} = \frac{\text{joule}}{\text{coilomb} \times \text{second}}$ 

5- direct

7- radium, uranium

2- series, parallel

4- direct – alternating

6- series – parallel

8- treat & diagnose diseases

#### (2) Write the scientific terms:

1- electric current

2- Ammeter

3- potential difference 4- resistance

5- e.m.f

6- direct electric current

7- series connection

8- radioactivity

9- mutation

#### <u>(3)</u>

1-(c) 2-(a) 3-(a) 4-(a)

5-(b) 6-(a) 7-(c) 8-(b)

9 - (b) 10 - (b) 11 - (d) 12 - (b)

#### (4) Give reasons for:

- 1- because it can be transferred to long distances & can be converted to direct current.
- 2- To measure e.m.f. of battery.





- 3- To control the current intensity passing through the circuit & potential difference by changing the resistance.
- 4- To obtain high e.m.f
- 5- To obtain low e.m.f.
- 6- because the total e.m.f. for a group of cells connecting in series is equal to the sum of the e.m.f for these cells, while the total e.m.f for a group of cells connecting in parallel is equal to the e.m.f of one cell.
- 7- because their nucleus contain number of neutrons more than that required for its stability.
- 8- because it changes sex chromosomes composition results in abnormal birth.

<u>(5)</u>

1) 
$$q = 10$$
 coulmbs  $t = 2$  sec.

$$I = \frac{q}{t} = \frac{10}{2} = 5$$
 Ampere.

2) = 
$$5400 \text{ colomb}$$
  $t = 5 \times 60 = 300 \text{ sec}$ .

$$I = \frac{q}{t} = \frac{5400}{300} = 18 \text{ Ampere}.$$

3) 
$$R = 100 \text{ ohm}$$
 ,  $t = 30 \times 60 = 180 \text{ sec.}$ 


, 
$$V=220\,v$$
 ,  $R=\frac{V}{I}$  ,  $I=\frac{V}{R}$ 


∴ 
$$I = \frac{220}{100} = 2.2$$
 Ampere.

$$: q = I \times t$$

$$= 2.2 \times 1800$$

$$= 3960 \text{ coulomb}$$
.







### 3<sup>rd</sup> Preparatory



### (Unit 3, 4)

#### <u>(1)</u>

- 1 Acquired.
- 2 Mendel, Peaplant, hermaphodite.
- 3 Dominant.
- 4 DNA, protien.
- 5 Watson & creck.
- 6 Cytosine (c).
- 7 nitrogeueus bases .
- 8 endocrine glands.
- 9 Pituitary growth.
- 10 Thyroxine hormone.
- 11 hormone.

#### <u>(2)</u>

- 1 Hereditary traits . 2 Dominant trait .
- 3 genes. 4 hereditany factor (genes).
- 5 genes. 6 chromosomes.
- 7 Induced mution . 8 endocrine glands .
- 9 hormone . 10 Insulin .
- 11 hormone disorder.

#### <u>(3)</u>

- 1-7 2-pure 3-straight hair.
- 5 watson 6 Gene 7 2
- 8 white 9 (a) 10 (c)
- 11 (d)



(1)	Com	plete	the	fol	lowing:
-----	-----	-------	-----	-----	---------

•	<del></del>		
1- Most metal sulphate	es undergo theri	nal decomposition	to give
and			
2- The chemical activi	ity series is the	arrangement of m	etallic elements
in a order	r according to th	eir	
B Chemical reaction is	the process in v	vhich bonds in rea	ctants are
and bonds in	are forme	d.	
4- Oxidation and redu	ction are two	processes.	
5- The substance that	t gives oxygen ar	nd removes hydrog	gen is called
6-In the following rea	action: 2Mg + CC	$0_2 \xrightarrow{\Delta} 2MgO +$	· C the oxidizing
agent is	while the redu	icing agent is	•••••
(2) Choose the cor	rrect answer:		
1- When dilute hydroc		ded to calcium car	rbonate
gas is evo			
a) CO <sub>2</sub>	b) H <sub>2</sub>	c) O <sub>2</sub>	d) CO
2- A process that invo	-	•	•
compounds by the	·	•	
a) simple substit		b) thermal dec	
c) electrolysis		d) direct comb	•
3- The blue colour of	copper sulphate	disappears and	is
formed by heating.	• • •		.00
a) black ppt	b) red colour	c) yellow ppt	d) black colour
4- The following eleme	ents can replace	hydrogen in dilute	e acids except
element.	•	, 5	
a) Magnesium	b) zinc	c) copper	d) sodium

3 <sup>rd</sup> prep.	——— Scienc
5- The oxidizing agent is the compou	und which during the
chemical reaction.	
a) loses hydrogen	b) gains oxygen
c) loses oxygen	
6- The percentage of hydrogen incre	zases duringreaction
a) neutralization	b) oxidation
c) reduction	d) substitution
7- In the reaction between sodium a	nd chlorine to form sodium
chloride, the oxidizing agent is	
a) sodium	b) chlorine
c) sodium chlorine	d) both sodium and chlorine
(3) Put(v) or (x):  1-Metallic elements are arranged in their chemical activity in the C.A.  2- No reaction takes place between	.S. () copper and zinc sulphate.
1-Metallic elements are arranged in the C.A.	copper and zinc sulphate. ()  nposes by heat to give copper ()
1-Metallic elements are arranged in their chemical activity in the C.A. 2- No reaction takes place between 3- Anhydrous copper sulphate decompanies and sulphur dioxide.	.5. ()  copper and zinc sulphate.  ()  nposes by heat to give copper  ()  gen . ()
1-Metallic elements are arranged in their chemical activity in the C.A. 2- No reaction takes place between 3- Anhydrous copper sulphate decomes oxide and sulphur dioxide. 4- Reduction means gaining of hydro	copper and zinc sulphate.  ()  nposes by heat to give copper  ()  gen . ()
1-Metallic elements are arranged in their chemical activity in the C.A. 2- No reaction takes place between 3- Anhydrous copper sulphate decomoxide and sulphur dioxide. 4- Reduction means gaining of hydro  (4) Write the scientific term:	copper and zinc sulphate.  ()  nposes by heat to give copper  ()  gen .  into simpler compounds by the
1-Metallic elements are arranged in their chemical activity in the C.A. 2- No reaction takes place between 3- Anhydrous copper sulphate decompande and sulphur dioxide. 4- Reduction means gaining of hydro  (4) Write the scientific term: 1- A process of splitting compounds	copper and zinc sulphate.  ()  nposes by heat to give copper  ()  gen .  into simpler compounds by the
1-Metallic elements are arranged in their chemical activity in the C.A. 2- No reaction takes place between 3- Anhydrous copper sulphate decome oxide and sulphur dioxide. 4- Reduction means gaining of hydro  (4) Write the scientific term: 1- A process of splitting compounds effect of heat.	copper and zinc sulphate.  ()  nposes by heat to give copper  ()  gen . ()  into simpler compounds by the  [
Their chemical activity in the C.A.  2- No reaction takes place between  3- Anhydrous copper sulphate decommon oxide and sulphur dioxide.  4- Reduction means gaining of hydro  (4) Write the scientific term:  1- A process of splitting compounds effect of heat.  2- The arrangement of metallic elem	copper and zinc sulphate.  ()  nposes by heat to give copper  ()  gen .  into simpler compounds by the  [
1-Metallic elements are arranged in their chemical activity in the C.A. 2- No reaction takes place between 3- Anhydrous copper sulphate decomoxide and sulphur dioxide. 4- Reduction means gaining of hydro  (4) Write the scientific term: 1- A process of splitting compounds effect of heat. 2- The arrangement of metallic elemonical activity.	copper and zinc sulphate.  ()  nposes by heat to give copper  ()  gen .  into simpler compounds by the  [
<ol> <li>Metallic elements are arranged in their chemical activity in the C.A.</li> <li>No reaction takes place between a side and sulphur dioxide.</li> <li>Reduction means gaining of hydrometallic term:</li> <li>A process of splitting compounds effect of heat.</li> <li>The arrangement of metallic elementical activity.</li> <li>A process in which an element discontinuous activity.</li> </ol>	copper and zinc sulphate.  ()  nposes by heat to give copper  ()  gen .  into simpler compounds by the  [

3 <sup>rd</sup> prep.	—— Scienc
5- A reaction between acid and alkali to	give salt and water.
	[
6- A chemical substance which helps to	increase the speed of the
reaction but does not change itself.	[
7- The chemical process which leads to	the increase of oxygen or
decrease of hydrogen.	[
8- Two processes take place at the sam	ne time during the chemical
reaction	[
9- A substance which gains one or more	electrons during a chemical
reaction.	[
10- The chemical process in which the a	atom of the substance gains on
electron or more during the chemica	ıl reaction. [
(5) Give reason for:	
1) When a magnesium strip burns in air	a white nowder is formed
2) Silver element does not react with d	·
3) Formation of silvery material on heat	·
4) Oxidation and reduction are two com	
same chemical reaction.	ipromorriar y processes in me
(6) What is the effect of heat on	the following?(by equation)
1- Copper sulphate	2- Copper hydroxide
3- Copper Carbonate	4- Red mercuric oxide
5- Sodium nitrate	
(7) How can you differentiate betw	veen each of the following:
1- Hydrogen and carbon dioxide gases.	(by flame)
	·
2- Copper sulphate solution and magnes	ium sulphate solution. (by zinc

3- Zinc sulphate solution and copper sulphate solution (by iron filings)



#### (8) Mention the name of the gas in each of the following:

- 1) Turns lime water milky.
- 2) Is obtained by the reaction between dilute hydrochloric acid and magnesium metal.
- 3) Increase the glowing of lighted splint.
- 4) Is produced from the thermal decomposition of sodium nitrate.







### <u>Unit (2)</u>

#### (1) Complete:

1- The current intensity due to the flow of 2700 coulomb in 300
second through a cross-section of a conductor equals
2- In the electric circuits, the ammeter is connected in,
while the voltmeter is connected in
3- Volt = joule × second
4- There are two types of electric current which are
and
5-The electric current can be transported only to short
distance.
6- There are two methods of connecting electric cells which are
and
7 and cesium are natural radioactive elements
8- Nuclear energy is used in medicine in and

#### (2) Write the scientific terms:

..... of some diseases.

1- The flow of electric negative charges in a cor	nducting material
(metal wire).	()

2- A device used to measure the electric current i	intensity.	
	(	. )

3- The work done to transfer unit of electri	ic charge between tw	0
ends of a conductor.	()	

3 <sup>rd</sup> prep		—— Ø	alanca -
4- The opposition to	the flow of elec	ctric current in the	e conductor.
		(	)
5- The potential diffe	rence across tl	ne two poles of th	ne battery
when the circuit is	opened.	(	)
6- The electric currer	nt of constant in	ntensity and direc	ction.
		(	)
7- A type of connecti	on of electric c	ells used to obta	in high e.m.f.
		(	)
8- The process of co	nversion of ato	ms of some elen	nents to
reach more stabili	ty.	(	)
9- The changes that	take place to tl	ne living organisr	n due to its
exposure to radiat	tions.	(	)
(3) Choose the cor	rrect answer:		
1- Electrons are	charge	d particles.	
a) positively	_	b) neutral	
c) negatively		d) no correct a	answer
2 is the	measuring unit	of the electric ch	narges. 👛
a) coulomb		b) Ampere	
c) volt		d) no correct a	answer
3 is use	d to measure t	ne e.m.f of a bat	tery.
a) Voltmeter	b) Ammeter	c) Rheostat	d) ohmmeter
4 is the	measuring unit	of electric resist	ance.
a) ohm	b) ampere	c) volt	d) coulomb
5- As the length of rh	neostat wire inc	reases, the curre	ent intensity
a) increases		b) decreases	5
c) constant		d) there is no	answer 🦷
		T1 1	Revision 6

8/-	6- Direct current car	be produced fro	om	
000	a) electrochem	nical cells	b) electric gene	erators
90	c) electric pow	er stations	d) electric moto	ors
00-	7- In the simple cell	the	energy is conver	ted into
375	electric energy.			
20	a) kinetic	b) magnetic	c) chemical	d) mechanical
100	8- In dynamo,	energy is co	nverted into elec	ctric energy.
000	a) magnetic	b) kinetic	c) chemical	d) light
CIN	9- Alternating currer	nt is used in		
-80	a) electrolysis		b) lighting hous	se
13	c) electroplatin	g	d) both a & c	
0	10- Radioactive phe	nomenon was d	iscovered by the	scientist
	a) ohm	b) Becquerel	c) Ampere	d) volt
	11- Rockets use	fuel for	flying	
ماكم	, •	•	c) natural gas	,
010	12- The measuring	unit of the absor	bed radiation is t	he
	a) curie	b) rem	c) Rontgen	d) ohm
	(4) Give reasons 1	or:		
	1- The voltmeter is o		s the two poles c	of a battery.
	2- Rheostat is used	in some electric	circuits.	
	3- Voltmeter is conn	ected between t	he two ends of a	conductor.
	4- It is better to use	alternating curre	ent rather than di	rect current
	5- Some cells are co	onnected in the	electric circuit in p	oarallel.

6- The nuclei of radioactive elements are unstable.

7- Radioactivity has natural sources and also artificial.

#### (5) Problems:

- 1- Calculate the electric current intensity that flows through cross section of a wire, if a charge of 10 coulombs passes through in 2 seconds.
- 2- Calculate the current intensity due to the flow of 5400 coulomb in 5 min. through a cross-section of a conductor.
- 3- What is the quantity of electricity which passes through a conductor its resistance 100 ohm for 30 minutes when the potential difference across its ends is 220 volts.
- 4- You have three similar cells, the electromotive force of each is 1.5 volt. Explain by using a diagram how you can connect them to obtain an e.m.f of:
  - a) 1.5 volts
- b) 3 volts
- c) 4.5 volts





### **Unit (3, 4)**

(1) Complete:
1 traits are not transmitted from one generation to
another.
2- The scientist is the founder of heredity, he used
the seeds of plant, because its flowers are
and thus it can self-pollinated.
3- The trait that appears in all individuals of the first generation in
Mendel's experiments is trait.
4- Chromosome is chemically composed of a nucleic acid called
which is combined with
5- The two scientists and were able to
make a model for DNA molecule.
6- In DNA molecule, the nitrogenous base, Guanine pairs with
base.
7- The gene mutation occurs as a result of the change in the
sequence of of the gene.
8- Hormones are directly secreted into the blood stream by
9 gland secretes hormone which controls
the general growth of the body.
10- Thyroxin is a that regulates food assimilation in
your hody



(2) Write the scientific term:		
90	1- The traits ready to be transmitted from one generation to	
000	another.	()
215	2- The trait that appears in all individuals of	of the first generation in
2a	Mendel's experiments.	()
10	3- The hereditary factors which transmit traits from the parents to	
0	off spring.	()
910	4- Through which the hereditary traits are transmitted from	
So.	parents to offspring.	()
8	5- Parts of DNA that are present on the chromosomes and carry	
	the hereditary traits of the individual.	()
9	6-It is chemically consisted of a nucleic a	cid called DNA
	combined with protein.	()
2	7- The mutations which are controlled by human to obtain desirable	
975	traits in specific living organisms and sp	pecially in the plants.
		()
	8- Organs secreting hormones in the human body.	
		()
	9- A chemical message that controls and regulates the activities and functions of most of the body organs.()  10- Hormone which stimulates the storage of glucose sugar level	
	in the blood.	()
11- The result when one of the endocrine glands does not act		
	properly.	()

c) thyroxin

#### (3) Choose the correct answers: 1- Mendel conducted his experiments in pea plant by using ..... pairs of traits. c) 9 a) 5 b) 7 d) 11 3- The two factors of a hereditary trait are similar in the ........... individual. b) hybrid c) recessive d) a and c a) pure 4- Which one of these traits is recessive in humans ...... a) curly hair b) wide eyes c) free ear lobe d) straight hair 5- ..... put the model of DNA molecule. b) Mendel c) Watson d) Johansson a) ohm ..... is the part of DNA in the cell nucleus. a) Gene b) Gamete c) Cytoplasm d) no correct answer 7- DNA molecule consists of ...... strands. a) two b) three c) four d) five 8- The ..... mice don't have melnin pigment. b) white c) black d) brown a) grey 9- The hormone which regulates the level of calcium in the blood is the ..... hormone. b) thyroxin a) calitonin d) adrenalin c) progesterone 10- The ...... hormone liberates the needed energy from the food stuff. b) estrogen a) growth

d) testosterone

### 3<sup>rd</sup> prep.



11- Glucagon hormone is secreted by .....

a) pituitary gland

b) thyroid gland

c) adrenal gland

d) pancreas

#### (4) Give reasons for:

- 1- Mendel selected (choose) the pea plant to conduct his experiments.
- 2- The curly hair dominates the smooth hair trait.
- B- The ability of rolling the tongue is dominant trait in the human being.
- 4- The free ear lobe is dominant over the attached ear lobe.
- 5- DNA molecule is called the double helix.
- 6-Some mutations are not transmitted from a generation to another.
- 7- We must not be exposed to radiation as x-rays.
- 8- Blood stream is the only way for hormones to reach their sites of action.
- 9- Pituitary gland is called the master gland.
- 10- The stopping of the body growth, so the person becomes a dwarf.
- 11- Pancreas is a double function gland.
- 12- Diabetes disease is treated with insulin hormone.





#### (5) Problems:

- 1- In pea plant, what are the results of self-pollination of tall hybrid plant pure, by using the symbols (T, t) showing (parents gametes offspring).
- 2- Using symbols to express the results of mating between a short stemed pea plant (tt) and a long stemed pea plant (TT)
- 3- If a black mouse BB is crossed to a brown female mouse (bb) mention the colours and the ratios of resulting offspring in the first generation and second generation illustrated on hereditary basis.
- 4- When a pea plant that has tall stem is crossed with a pea plant that has short stem, this crossing produced individuals with the ratio of 50% tall : 50 % short what is the genetic structure of parents and producing individuals (use "T" for tall "t" for short)

3<sup>rd</sup> prep.







#### (1) Complete the following:

- 1- Metal oxide sulphur trioxide
- 3- broken products
- 5- oxidizing agent

- 2- descending chemical activity
- 4- complementary
- 6- CO<sub>2</sub> Mg

#### (2) Choose the correct answers:

- 1) CO<sub>2</sub>
  - 2) electrolysis
- 3) black colour

- 4) copper
- 5) loses oxygen
- 6) reduction

7) chlorine

#### (3) Put (v) or (x):

1- (X)

2- (v)

3-(X)

4- (v)

#### (4) Write the scientific term:

- 1- Thermal decomposition
- 2- Chemical activity series
- 3- Simple substitution reaction
- 4- double substitution reaction
- 5- Neutralization reaction
- 6- catalyst
- 7- oxidation
- 8- oxidation and reduction









### 3<sup>rd</sup> prep. -



- 9- Oxidizing agent
- 10- Reduction

#### (5) Give reason for:

1- Bec. magnesium oxide is formed (white powder) as a result of direct combination between magnesium and oxygen.

$$2Mg + O_2 \xrightarrow{\triangle} 2MgO$$

- 2- Bec. silver is less active than the hydrogen of the acid (Ag comes after H in the C.A.S.)
- B- Bec. mercuric oxide decomposes by heat into (Hg) metal (silver colour) and oxygen.

4- Bec. the electrons lost by the reducing agent in the oxidation process are gained by the oxidizing agent in the reduction process.

#### (6) What is the effect of heat on the following?(by equation)

$$2-Cu(OH)_2 \longrightarrow CuO + H_2O$$

$$3-CuCO_3$$
  $\triangle$   $\triangle$   $CuO + CO_2$ 

4- 
$$2HgO \xrightarrow{\Delta} Hg + O_2 \uparrow$$

5- 
$$2NaNO_3$$
  $\xrightarrow{\Lambda}$   $2NaNO_3 + O_2 \uparrow$ 


#### (7) How can you differentiate between each of the following:

- 1- Hydrogen  $\rightarrow$  purn with blue fire and pop sound carbon dioxide gases  $\rightarrow$  put off the fire
- 2- Copper sulphate  $\rightarrow$  red p.p.t magnesium sulphate  $\rightarrow$  no reaction



### 3<sup>rd</sup> prep. \_\_\_







#### (8) Mention the name of the gas in each:

- 1- CO<sub>2</sub>
- 2- H2
- 3- O<sub>2</sub>
- 4- O<sub>2</sub>



### **Unit (2)**



- 1- 13.5 Amp.
- $3- \text{volt} = \frac{\text{joule}}{\text{coilomb} \times \text{second}}$
- 5- direct
- 7- radium, uranium

- 2- series, parallel
- 4- direct alternating
- 6- series parallel
- 8- treat & diagnose diseases



- 1- electric current
- 3- potential difference
- 5- e.m.f
- 7- series connection
- 9- mutation

- 2- Ammeter
- 4- resistance
- 6- direct electric current
  - 8- radioactivity







